NAT'L INST. OF STAND & TECH R.I.C.
A11104 827828

NIST
PUBLICATIONS

United States Department of Commerce
Technology Administration
National Institute of Standards and Technology

NISTIR 5041

A BIBLIOGRAPHY OF THE NIST OPTOELECTRONICS DIVISION

Edited by
Annie J. Smith
Linda S. Derr

QC
100
.U56
NO.5041
1995

NISTIR 5041

A BIBLIOGRAPHY OF THE NIST OPTOELECTRONICS DIVISION

Edited by
Annie J. Smith
Linda S. Derr

Optoelectronics Division
Electronics and Electrical Engineering Laboratory
National Institute of Standards and Technology
Boulder, Colorado 80303-3328

September 1995

U.S. DEPARTMENT OF COMMERCE, Ronald H. Brown, Secretary
TECHNOLOGY ADMINISTRATION, Mary L. Good, Under Secretary for Technology
NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY, Arati Prabhakar, Director

CONTENTS

Page

INTRODUCTION 1

SOURCES AND DETECTORS GROUP, 815.01
Source and Detector Measurements 6

FIBER AND INTEGRATED OPTICS GROUP, 815.02
Fiber and Integrated Optics 20

OPTICAL COMPONENTS GROUP, 815.03
Optical Fiber Sensors 41
Fiber and Discrete Components 49

OPTOELECTRONIC MANUFACTURING GROUP, 815.04
Dielectric Materials and Devices 52
Semiconductor Materials and Devices 56

AUTHOR INDEX 58

A BIBLIOGRAPHY OF THE NIST OPTOELECTRONICS DIVISION

Annie J. Smith and Linda S. Derr, Editors

INTRODUCTION

Gordon W. Day

The Optoelectronics Division was established in 1994 to provide the optoelectronics industry and its suppliers and customers with comprehensive and technically advanced measurement capabilities, standards, and traceability to those standards. The Division's roots extend to the first NIST (National Bureau of Standards) work on optoelectronics—research begun in the early 1960s to develop techniques for measuring the output power or energy of a laser.

The Division has strong ties to industry, academe, and other government laboratories. Through its predecessor organizations, it has been providing measurement services for the characterization of lasers and detectors since 1967 and each year conducts more that 150 calibrations for about 50 customers. Increasingly, these are related to the measurement of power in optical fiber systems. Division staff members represent NIST to the major domestic and international standards organizations active in optoelectronics—the Telecommunications Industry Association (TIA), the International Electrotechnical Commission (IEC), the International Organization for Standardization (ISO), and the American National Standards Institute (ANSI)—and provide impartial technical expertise in their negotiations. The Division typically has 5 to 7 active Cooperative Research and Development Agreements (CRADAs) with companies and universities, and is involved in 20 to 30 additional informal collaborations each year. The Division offers the optoelectronics community an annual short course on laser measurements and biennially organizes a major international conference on optoelectronic measurements, the *Symposium on Optical Fiber Measurements*.

The Division is organized into four groups: the Sources and Detectors Group, the Fiber and Integrated Optics Group, the Optical Components Group, and the Optoelectronic Manufacturing Group, which work in six project areas, as follows:

Source and Detector Measurements

Accurate characterization of optoelectronic sources and detectors is crucial to the effective development and use of industrial technologies such as lightwave telecommunications, laser-based medical instrumentation, materials processing, photolithography, data storage, and laser safety equipment. NIST develops standards and provides measurement services for selected critical parameters intrinsic to optoelectronic sources and detectors, and for the calibration of optical fiber power meters and laser power/energy meters at commonly used wavelengths and powers. In addition, special test measurements are available for frequency response, impulse response, linearity, spectral responsivity, and spatial uniformity of optical power meters and

detectors. In support of source characterization, NIST develops measurement methods to evaluate and reduce laser intensity noise. Beam intensity profile and propagation measurement techniques are developed and evaluated. NIST participates in national and international standards committees that are developing standards for laser safety, laser radiation measurements (such as beam profile and pointing stability), and measurements related to optical power. NIST continues to extend and improve source and detector characterizations, including development of low noise, spectrally flat, highly uniform pyroelectric detectors, and tunable-wavelength optical-fiber power measurement systems.

Fiber and Integrated Optics

Optical fibers have largely replaced coaxial cable in long-distance telecommunications systems and are rapidly being installed in local-area applications. Optical waveguides in planar geometries, often called integrated optics, are increasingly used in communications and other optoelectronic systems. NIST staff interact with industry groups to develop measurement methods and reference standards for the characterization of these components. The joining of optical fibers requires the fiber to have accurately controlled dimensions. NIST-developed standard reference materials for cladding diameter allow manufacturers to calibrate instrumentation used in manufacturing and quality control; geometrical standards for fiber coatings and connector ferrules are being developed as well. Dispersion, the variation of propagation velocity with wavelength or polarization, sets the limit to the rate at which information can be transmitted; measurement methods and standards for both chromatic dispersion and polarization-mode dispersion are currently under development. The development of optical amplifiers has brought revolutionary changes to the design of communications; these new components require special methods of characterization now in development. Nonlinear properties of fiber, such as four-wave mixing and soliton effects, have been studied and applied to instrumentation. Novel implementations of reflectometry in fiber (OTDR) are also being studied.

Optical Fiber Sensors

Optical fiber sensors bring to metrology the same advantages that optical fibers provide to communications. The most important of these is that they are not electrical and, therefore, suffer less from electrical interference than many other sensors. NIST supports the industry broadly by providing measurements and standards for the characterization of optical materials and components used in sensors. It also develops and evaluates new sensor technology, primarily for other government laboratories. Much of its work is on sensors for electromagnetic quantities: electric current, voltage, and electric and magnetic fields.

Fiber and Discrete Components

Advanced optical communications systems use many different types of components to control and modify propagating signals. NIST develops the measurement technology to characterize these components and understand their limits. Fiber-coupled components such as optical isolators, wavelength division multiplexers, and fiber amplifiers have recently been installed in advanced optical communication systems. Future systems will likely incorporate recently

developed components such as devices containing fiber gratings. Standards and characterization of these components are needed in order to evaluate the device's reliability and maintain the specifications required by new systems. Polarization-dependent loss (PDL) and polarization-dependent gain in components affect a system's performance, especially when there are many components in the system. Commercial instruments are available for measuring PDL and require NIST-developed calibration standards. Photo-induced Bragg gratings in optical fiber are likely to be incorporated in fiber lasers, dispersion compensators, and bandpass filters; NIST evaluates the long-term stability of these fiber gratings. Wavelength dependence of components will be important when wavelength division multiplexing is implemented. Wavelength standards are needed to calibrate instruments which will be used to characterize the wavelength dependence of these components.

Dielectric Materials and Devices

NIST is developing measurement methods and acquiring critical materials data to improve the manufacturing of dielectric optical devices. Of current concern are the ferroelectric materials lithium niobate and lithium tantalate, used in optical waveguide modulators, switches, and micro-lasers, and the glasses used in waveguide splitters, couplers, lasers, and optical amplifiers. NIST researchers are measuring the compositional uniformity of substrate material and deposited layers. Rapid, nondestructive testing of uniformity across a wafer, or from wafer to wafer, aids substrate and device manufacturers in processing decisions which increase device yield. In collaboration with industry, NIST is improving methods for the manufacture of compact, rare-earth-doped waveguide lasers and amplifiers. Measurements of dopant diffusion and solubility in substrate material, and the absorption and emission spectra of doped waveguides, are combined with computer models to characterize the influence of glass chemistry, ferroelectric domain-reversed regions, and other critical parameters. NIST's measurements of noise figure and cross-talk in waveguide amplifiers are valuable input to telecommunication system designers. Grating-based integrated optical components are gaining importance for wavelength division multiplexing, dispersion compensation, single-frequency lasers, and optical sensors. NIST scientists are studying the processing and metrology issues which lead to compact, robust devices having high efficiency.

Semiconductor Materials and Devices

The commercial success of semiconductor optoelectronic devices in an ever-widening array of applications (telecommunications, computer interconnection, data storage, display, printing, and sensor systems) requires low-cost manufacturing. NIST scientists develop measurement tools suitable for critical manufacturing stages of compound semiconductor light-emitting diodes, diode lasers, detectors, and modulators. To improve wafer yield, NIST is studying optical methods for the in-process monitoring and control of semiconductor layer deposition. The operation of optoelectronic devices depends critically on the thickness and compositional uniformity of epitaxial layers. NIST researchers use computer simulations and the correlation of data from several techniques–x-ray diffraction, transmission electron microscopy, reflectance spectroscopy, and photoluminescence spectroscopy–to improve the measurement accuracy. Test structures and novel measurement techniques have been developed to precisely

measure optical constants, defect diffusion, and quantum micro-cavity effects. Researchers fabricate semiconductor quantum well devices for use in optical metrology and sensing. In support of next-generation optical interconnection, display, and data storage products, NIST scientists are measuring the properties of arrayed surface-emitting lasers.

Publications

This bibliography provides one means of access to the work of the division. It includes most of the papers published by the Division and its predecessor organization since 1970. A few important earlier papers and a few papers published by present NIST staff before they joined the Institute are included. The document is organized by subject, along the project lines defined above. It is updated annually. Before this year, publications listed here were included in a similar document, "Metrology for Electromagnetic Technology: A Bibliography of NIST Publications."

Purchase Procedures

NIST (NBS) Technical Notes, Special Publications, Handbooks, Journals of Research, and Monographs may be purchased from the U.S. Government Printing Office at the following address: New Orders, Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250-7954. Orders may be paid by major credit card, NTIS Deposit Account, or check or money order payable in U.S. dollars to the Superintendent of Documents. The Government Printing Office usually stocks these publications for only a year or two, after which they may be purchased from the National Technical Information Service at the address listed below.

NIST (NBS) Interagency/Internal Reports (NISTIRs, NBSIRs) may be purchased from the National Technical Information Service, Springfield, VA 22161, (703) 487-4650. Orders may be paid by major credit card, NTIS Deposit Account, or check or money order payable in U.S. dollars to NTIS.

Reprints of papers published in non-NIST media may be available in limited quantities from the authors.

A Note on Abbreviations

NOTE: On August 23, 1988, the National Bureau of Standards (NBS) became the National Institute of Standards and Technology (NIST); therefore, documents with either prefix are considered NIST publications.

Most readers are familiar with the commonly used abbreviations for the names of the professional journals that appear in this bibliography. Some publication series are peculiar to NIST and may call for explanation. They are:

NISTIR - NIST Interagency/Internal Report
NIST TN - NIST Technical Note
NIST SP - NIST Special Publication
NIST HB - NIST Handbook
NIST JRES - NIST Journal of Research
NIST MN - NIST Monograph

NBSIR - NBS Interagency/Internal Report
NBS TN - NBS Technical Note
NBS SP - NBS Special Publication
NBS HB - NBS Handbook
NBS JRES - NBS Journal of Research
NBS MN - NBS Monograph

Acknowledgments

A large part of the labor of preparing a bibliography is spent collecting and arranging the material; Sheila Aaker, Frances Brown, Mary E. DeWeese, Kit Kline, and Jessie Page assisted with these chores. The main sources of material were the NIST Boulder Editorial Review Board database, the National Technical Information Service, and information supplied by individual authors.

SOURCE AND DETECTOR MEASUREMENTS

Characterization of a Clipped Gaussian Beam;
Jones, R.D.; Scott, T.R.
Proc., Soc. Photo-Opt. Instrum. Engrs. Photonics West '95 Conf., Feb 6-7, 1995, San Jose, CA, Vol. 2375: 360-374; 95

Comparison of Photodiode Frequency Response Measurements to 40 GHz between NPL and NIST;
Gifford, A.D.; Humphreys, D.A.; Hale, P.D.
Electron. Lett. 31(5): 397-398; Mar 2, 95

Accurate Measurement of Optical Detector Nonlinearity;
Yang, S.; Vayshenker, I.; Li, X.; Scott, T.R.
Proc., Natl. Conf. Stds. Labs., Jul 31-Aug 4, 1994, Chicago, IL, 353-362; Jul 94

Optical Detector Nonlinearity: A Comparison of Five Methods;
Yang, S.; Vayshenker, I.; Li, X.; Scott, T.R.
Tech. Dig., Conf. on Prec. Electromagn. Meas., Jun 27-Jul 1, 1994, Boulder, CO, 455-456; Jul 94

Optical Power Meter Calibration Using Tunable Laser Diodes;
Vayshenker, I.; Li, X.; Scott, T.R.
Proc., Natl. Conf. Stds. Labs., Jul 31-Aug 4, 1994, Chicago, IL, 363-372; Jul 94

Spatial Uniformity of Optical Detector Responsivity;
Livigni, D.J.; Li, X.
Proc., Natl. Conf. Stds. Labs., Jul 31-Aug 4, 1994, Chicago, IL, 337-352; Jul 94

Widths and Propagation of a Truncated Gaussian Beam;
Jones, R.D.; Scott, T.R.
Proc., 2nd Workshop on Laser Beam Characterization, May 30-Jun 1, 1994, Berlin, Germany, 161-172; Jun 94

Error Propagation in Laser Beam Spatial Parameters;
Jones, R.D.; Scott, T.R.
Opt. Quant. Electron. 26(1994): 25-34; Jan 94

Photodetector Frequency Response Measurements at NIST US and NPL UK: Preliminary Results of a Standards Laboratory Comparison;
Hale, P.D.; Humphreys, D.A.; Gifford, A.D.
Proc., Soc. Photo-Opt. Instrum. Engrs., Technologies for Optical Fiber Communications, Jan 24-28, 1994, Los Angeles, CA, 345-356; Jan 94

Accurate Characterization of High Speed Photodetectors;
Hale, P.D.; Franzen, D.L.
Proc., Soc. Photo-Opt. Instrum. Engrs., Tech. Conf., Photodetectors and Power Meters, Vol. 2022, Jul 15-16, 1993, San Diego, CA, 218-227; 93

Electrically Calibrated Pyroelectric Detector-Refinements for Improved Optical Power Measurements;
Phelan, R.J., Jr.; Lehman, J.H. J.; Larson, D.R.
Proc., Soc. Photo-Opt. Instrum. Engrs., Tech. Conf., Photodetectors and Power Meters, Vol. 2022, Jul 15-16, 1993, San Diego, CA, 160-164; 93

Laser-Beam Analysis Pinpoints Critical Parameters;
Jones, R.D.; Scott, T.R.
Laser Focus World 29(1): 123-130; Jan 93

Beam Analysis Round Robin;
Jones, R.D.; Scott, T.R.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 1834: 60-71; 92

International Intercomparison of Detector Responsivity at 1300 and 1550 nm;
Gardner, J.L.; Gallawa, R.L.; Stock, K.D.; Nettleton, D.H.
Appl. Opt. 31(34): 7226-7231; Dec 1, 92

International Intercomparison of Detector Responsivity at 1300 and 1550 nm;
Gallawa, R.L.; Gardner, J.L.; Nettleton, D.H.; Stock, K.D.
Proc., Conf. Prec. Electromagn. Meas. Dig., 268-269; Jun 92

High-Frequency Optical FM Noise Reduction Employing a Fiber-Insertable Feedforward Compensation Technique;
Esman, R.D.; Iwashita, I.
Tech. Dig., Optical Fiber Communication Conf. (OFC '92), 72; Feb 92

Spatial Uniformity Measurement of Optical Detector Response;
Livigni, D.J.; Li, X.
Proc., '92 Measurement Science Conf.; Jan 92

Megawatt Laser Calorimeter Design;
Scott, T.R.
Tech. Dig., IEEE Instrum. Meas. Conf., 227-231; 91

Errors in the Measurement of Non-Gaussian Noise Spectra Using rf Spectrum Analyzers;
Anderson, M.H.; Jones, R.D.; Cooper, J.; Smith, S.J.
Rev. Sci. Instrum. 62(11): 2828-2830; Nov 91

Lambdameter for Accurate Stability Measurements of Optical Transmitters;
Obarski, G.E.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 1620: 41-48; Nov 91

A Low Temperature Electrically Calibrated SOS Bolometer for Power and Energy Measurements;
Craig, R.M.; Phelan, R.J., Jr.
Proc., 1990 Measurement Science Conf., Feb 8-9, 1990, Anaheim, CA; 90

Laser Induced Damage in Optical Materials: 1989;
Bennett, H.E.; Chase, L.L.; Guenther, A.H.; Newnam, B.E.; Soileau, M.J.
NIST SP 801, 670 pp; 90

Hydrogenated Amorphous Germanium Detectors Deposited onto Channel Waveguides;
Phelan, R.J., Jr.; Larson, D.R.
Opt. Lett. 15(10): 544-546; May 15, 90

Scanning System for Measuring Uniformity of Laser Detector Response and Laser Beam Dimensions;
Rasmussen, A.L.; Case, W.E.; Sanders A.A.
NISTIR 90-3937, 100 pp; Apr 90

Laser Induced Damage in Optical Materials: 1988;
Bennett, H.E.; Guenther, A.H.; Newnam, B.E.; Soileau, M.J.
NIST SP 775, 576 pp; 89

NIST Optical Power Measurements;
Scott, T.R.
Proc., 1989 Measurement Science Conf., Jan 26-27, 1989: 3C-19 to 3C-29; 89

Improved Low-Level Silicon Avalanche Photodiode Transfer Standards at 1064 Micrometers;
Rasmussen, A.L.; Sanders, A.A.; Simpson, P.A.
NISTIR 89-3917, 39 pp; Aug 22, 89

An Electrically Calibrated Silicon Bolometer for Low Level Optical Power and Energy Measurements;
Phelan, R.J., Jr.; Craig, R.M.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 888: 38-42; 88

Fast-Pulse Generators and Detectors for Characterizing Laser Receivers at 1.06 μm;
Simpson, P.A.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 888: 43-47; 88

Laser Induced Damage in Optical Materials: 1987;
Bennett, H.E.; Guenther, A.H.; Milam, D.; Newnam, B.E.
NIST SP 756, 650 pp; 88

Laser Induced Damage in Optical Materials: 1986;
Bennett, H.E.; Guenther, A.H.; Milam, D.; Newnam, B.E.
NBS SP 752, 724 pp; 88

Potential Errors in the Use of Optical Fiber Power Meters;
Li, X.; Gallawa, R.L.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 841: 231-233; 88

Review of NBS Laser Power and Energy Measurements;
Scott, T.R.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 888: 48-54; 88

System for Measuring Optical Waveguide Intensity Profiles;
Larson, L.E.; Larson, D.R.; Phelan, R.J., Jr.
NBSIR 88-3092, 68 pp; Oct 3, 88

A Single Launch Technique for Determination of Mode Transfer Matrices;
Yang, S.; Hjelme, D.R.; Januar, I.P; Vayshenker, I.; Mickelson, A.R.
Tech. Dig., Optical Fiber Meas. Symp., in NIST SP 748, 103-106; Sep 88

Electrically Calibrated Photothermal Deflection Measurement for Separating Channel Waveguide Loss Mechanisms;
Hickernell, R.K.; Larson, D.R.; Phelan, R.J., Jr.
NBS SP 748, 65-68; Sep 88

Waveguide Loss Measurement Using Photothermal Deflection;
Hickernell, R.K.; Larson, D.R.; Phelan, R.J., Jr.; Larson, L.E.
Appl. Opt. 27(13): 2636-2638; Jul 1, 88

Laser Induced Damage in Optical Materials: 1985;
Bennett, H.E.; Guenther, A.H.; Milam, D.; Newnam, B.E.
NBS SP 746, 576 pp; Jul 88

Fast Optical Detector Deposited on Dielectric Channel Waveguides;
Larson, D.R.; Phelan, R.J., Jr.
Opt. Eng. 27(6): 503-506; Jun 88

Cool It!;
Lehman, J.H.
Science Teacher, 29-32; Mar 88

NBS Standards for Optical Power Meter Calibration;
Scott, T.R.
Proc., DoD/ANSI/EIA Fiber Optics Standardization Symp., 224-238; 87

Picosecond Pulse Response from Hydrogenated Amorphous Silicon (a-Si:H) Optical Detectors on Channel Waveguides;
Larson, D.R.; Phelan, R.J., Jr.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 835: 59-63; 87

On the Calibration of Optical Fiber Power Meters: The Effect of Connectors;
Gallawa, R.L.; Li, X.
Appl. Opt. 26(7): 1170-1174; Apr 87

Laser Induced Damage in Optical Materials: 1984;
Bennett, H.E.; Milam, D.; Guenther, A.; Newnam, B.E.
Proc., 16th Annual Symp. on Optical Materials for High Power Lasers, Oct 15-17, 1984, Boulder, CO, NBS SP 727; Oct 86

Direct Measurement of the Spatial Modes of a Laser Pulse-Theory;
Johnson, E.G., Jr.
Appl. Opt. 25(17): 2967-2975; Sep 86

Optical Power Meters: A Round Robin Test of Uncertainty;
Gallawa, R.L.; Yang, S.
Appl. Opt. 25(7): 1066-1068; Apr 86

Transfer Standards for Energy and Power of Low-Level 1.064 μm Laser Pulses and cw;
Rasmussen, A.L.; Sanders, A.A.
Opt. Eng. 25(2): 277-285; Feb 86

A Sensitive High Frequency Electromagnetic Field Probe Using a Semiconductor Laser in a Small Loop Antenna;
Phelan, R.J., Jr.; Larson, D.R.; Simpson, P.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 566: 300-306; 85

A Calorimeter for Measuring 1-15 kJ Laser Pulses;
Simpson, P.A.; Johnson, E.G., Jr.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 499: 121-124; 85

Laser Power and Energy Measurements and the NBS Laser Measurement Assurance Program (MAP);
Case, W.E.; Sanders, A.A.
IEEE Instrumentation and Measurement Technology Conf., Mar 20-22, 1985, Tampa, FL, 281-285; 85

Use of Mode Transfer Matrices in L.A.N. Loss Evaluation;
Maisonneuve, J.M.; Churoux, P.; Gallawa, R.L.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 559: 182-185; 85

Documentation of the NBS APD and PIN Calibration Systems for Measuring Peak Power and Energy of Low-Level 1.064 μm Laser Pulses;
Rasmussen, A.; Sanders, A.A.
NBSIR 85-3032, 67 pp; Dec 85

Low-Level Germanium Detector Transfer Standard at 1.064 μm;
Rasmussen, A.; Sanders, A.A.
NBSIR 85-3041, 10 pp; Dec 85

Laser Induced Damage in Optical Materials: 1983;
Bennett, H.E.; Milam, D.; Guenther, A.; Newnam, B.E.
NBS SP 688, 581 pp; Nov 85

Direct Measurement of the Electric Field of a Laser Pulse-Theory;
Johnson, E.G., Jr.
NBS TN 1084, 52 pp; Aug 85

Fast Detectors and Modulators;
Phelan, R.J., Jr.
Chap. in Semiconductors and Semimetals, Academic Press, 21(D): 249-259; 84

A Calorimeter for Measuring High-Energy Optical Pulses;
Simpson, P.A.; Etzel, S.M.; Johnson, E.G., Jr.
NBSIR 84-3008, 162 pp; Oct 84

A Calorimeter for Measuring 1-15 kJ Laser Pulses;
Simpson, P.A.; Johnson, E.G., Jr.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 499: 34-37; Aug 84

Detectors for Picosecond Optical Power Measurements;
Phelan, R.J., Jr.; Larson, D.R.; Frederick, N.V.; Franzen, D.L.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 499: 34-37; Aug 84

The Use of Power Transfer Matrices in Predicting System Loss: Theory and Experiment;
Maisonneuve, J.M.; Gallawa, R.L.
Proc., Soc. Photo-Opt. Instrum. Engrs. 500: 88-93, and Fiber Integ. Opt. 6(1): 11-26; Aug 84

Using Optical Processing to Find the Beam Profile of a Laser Pulse-Theory;
Johnson, E.G., Jr.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 499: 75-88; Aug 84

A Computer Controlled System for Calibrating Detectors of TEA Laser Pulses;
Simpson, P.A.
Proc., 22nd Automatic rf Testing Group Conf., Nov 3-4, 1983, Albuquerque, NM, ARFTG Fall Dig., 25-36; 83

Fiber Optics: Short-Haul and Long-Haul Measurements and Applications;
Gallawa, R.L.editor
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 355; 83

Submicrometer Interdigital Silicon Detectors for the Measurement of Picosecond Optical Pulses;
Phelan, R.J., Jr.; Larson, D.L.; Frederick, N.V.; Franzen, D.L.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 439: 207-211; 83

Laser Measurements;
Sanders, A.A.
Proc., 1983 Measurement Science Conf., Jan 20-21, 1983, Palo Alto, CA; Jun 83

A System for Measuring Energy and Peak Power of Low-Level 1.064 μm Laser Pulses;
Sanders, A.A.; Rasmussen, A.L.
NBS TN 1058; Oct 82

Beam-Profile Measurement of Pulses Using a Spatial Filter to Sample the Hermite Modes for a String of Pulses;
Johnson, E.G., Jr.
NBS TN 1057; Sep 82

Documentation of the NBS C K and Q Laser Calibration Systems;
Case, W.E.
NBSIR 82-1676; Sep 82

The Use of LEDs to Simulate Weak YAG-laser Beams;
Young, M.
NBS TN 1031, revised; Aug 81

Sub-Nanosecond Electrical Modulation of Light with Hydrogenated Amorphous Silicon;
Phelan, R.J., Jr.; Larson, D.R.; Werner, P.E.
Appl. Phys. Lett. 38(8); Apr 15, 81

A System for Characterizing Detectors for the Measurement of Power of CO_2 TEA Laser Pulses;
Simpson, P.A.
Proc., 11th Annual Electro-Optical Laser Conf., Oct 23-25, 1979, 3999-4007; 80

A System for Measuring the Characteristics of High Peak Power Detectors of Pulsed CO_2 Laser Radiation;
Simpson, P.A.
NBS TN 1023; Sep 80

Measuring Features of the Fluence at the Far Field of a CO_2 Pulsed Laser–An Issue Study With Suggestions on How To Do It;
Johnson, E.G., Jr.
NBSIR 80-1628; Apr 80

LED Source for Determining Optical Detector Time Response at 1.06 Micrometers;
Franzen, D.L.; Day, G.W.
Rev. Sci. Instrum. 50: 1029; 79

Measurement of Low Level Laser Pulses at 1.064 μm;
Rasmussen, A.L.; Sanders, A.A.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 196: 96-103; 79

Continuous-Wave (Mode-Locked) Dye Laser with Unfolded Cavity;
Young, M.
Appl. Opt. 18: 3212; Oct 79

National Standards of a Powerful Sort;
Sanders, A.A.
Opt. Spectra 13: 45; Aug 79

Quality Assurance Program for the NBS C K and Q Laser Calibration Systems;
Case, W.E.
NBSIR 79-1619; Aug 79

Design of a Reflection Apparatus for Laser Beam Profile Measurements;
Johnson, E.G., Jr.
NBS TN 1015; Jul 79

Laser Beam Profile Measurements Using Spatial Sampling Fourier Optics and Holography;
Johnson, E.G., Jr.
NBS TN 1009; Jan 79

Improvements in a Calorimeter for High-Power CW Lasers;
Chamberlain, G.E.; Simpson, P.A.; Smith, R.L.
IEEE Trans. Instrum. Meas. IM-27: 81-86; Mar 78

Laser Far-Field Beam-Profile Measurements by the Focal Plane Technique;
Day, G.W.; Stubenrauch, C.F.
NBS TN 1001; Mar 78

Evaluating the Inequivalence and a Computational Simplification for the NBS Laser Energy Standards;
Johnson, E.G., Jr.
Appl. Opt. 16: 2315-2321; Aug 77

Measurement Procedures for the Optical Beam Splitter Attenuation Device BA-1;
Danielson, B.L.
NBSIR 77-858; May 77

Proposed Standards for Laser Signatures;
Danielson, B.L.
NBSIR 77-856; Apr 77

An NBS Laser Measurement Assurance Program (MAP);
Sanders, A.A.; Cook, A.R.
Proc., Electro-Optical Systems Design Conf. 1976 and Intl. Laser Exposition, Sep 14-16, 1976, New York, NY, 277-280; 76

Laser Action in Sputtered Metal Vapors;
McNeil, J.R.; Johnson, W.L.; Collins, G.J.; Persson, K.B.; Franzen, D.L.
9th Intl. Conf. on Quantum Electronics, Jun 14-16, 1976, Amsterdam, The Netherlands, 162-163; 76

Performance and Characteristics of Polyvinylidene Fluoride Pyroelectric Detectors;
Day, G.W.; Hamilton, C.A.; Gruzensky, P.M.; Phelan, R.J., Jr.
Proc., IEEE Symposium on Application of Ferroelectrics, Jun 9-11, 1975, Albuquerque, NM, Ferroelectrics, Vol. 10: 99-102; 76

Absolute Reference Calorimeter for Measuring High Power Laser Pulses;
Franzen, D.L.; Schmidt, L.B.
Appl. Opt. 15: 3115-3122; Dec 76

Spectral Reference Detector for the Visible to 12 Micrometer Region Convenient Spectrally Flat;
Day, G.W.; Hamilton, C.A.; Pyatt, K.W.
Appl. Opt. 15: 1865-1868; Jul 76

An Electrically Calibrated Pyroelectric Radiometer System;
Hamilton, C.A.; Day, G.W.; Phelan, R.J., Jr.
NBS TN 678; Mar 76

Ultraviolet Laser Action from Cu II in the 2500-A Region;
McNeil, J.R.; Collins, G.J.; Persson, K.B.; Franzen, D.L.
Appl. Phys. Lett. 28: 207-209; Feb 76

Laser Attenuators for the Production of Low Power Beams in the Visible and 1.06 Micron Regions;
Danielson, B.L.; Beers, Y.
NBS TN 677; Jan 76

Radiometry without Standard Sources/Electrically Calibrated Pyroelectrics;
Phelan, R.J., Jr.; Hamilton, C.A.; Day, G.W.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 62: 159-165; 75

Pyroelectric Radiometers Get Off the Drawing Board;
Hamilton, C.A.; Phelan, R.J., Jr.; Day, G.W.
Opt. Spectra 9: 37-38; Oct 75

Improving Beam Measurement;
Smith, R.L.; Sanders, A.A.
Laser Focus 70-71; Apr 75

Precision Beam Splitters for CO_2 Lasers;
Franzen, D.L.
Appl. Opt. 14: 647-652; Mar 75

A Pyroelectric Power Meter for the Measurement of Low Level Laser Radiation;
Hamilton, C.A.; Day, G.W.
NBS TN 665; Feb 75

The Polarization of PVF and PVF2 Pyroelectrics;
Phelan, R.J., Jr.; Peterson, R.L.; Hamilton, C.A.; Day, G.W.
Ferroelectrics 7: 375-377; 74

Current Status of NBS Low-Power Laser Energy Measurement;
West, E.D.; Case, W.E.
Proc., Conf. on Prec. Electromagn. Meas., Jul 1-5, 1974, London, England,
IEEE Trans. Instrum. Meas. IM-23: 422-425; Dec 74

Analysis of Response of Pyroelectric Optical Detectors;
Peterson, R.L.; Day, G.W.; Gruzensky, P.M.; Phelan, R.J., Jr.
J. Appl. Phys. 45: 3296-3303; Aug 74

Effects of Poling Conditions on Responsivity and Uniformity of Polarization of PVF2 Pyroelectric Detectors;
Day, G.W.; Hamilton, C.A.; Peterson, R.L.; Phelan, R.J., Jr.; Mullen, L.O.
Appl. Phys. Lett. 24: 456-458; May 74

Absolute Pyroelectric Radiometers and Two Dimensional Arrays;
Phelan, R.J., Jr.; Peterson, R.L.; Klein, G.P.; Hamilton, C.A.; Day, G.W.
Proc., American Electro-Optical Systems Design Conf., New York, NY, 117-123; 73

Comparison of the Laser Power and Total Irradiance Scales Maintained by the National Bureau of Standards;
Geist, J.; Schmidt, L.B.; Case, W.E.
Appl. Opt. 12: 2773-2776; Nov 73

Electrically Calibrated Pyroelectric Optical-Radiation Detector;
Phelan, R.J., Jr.; Cook, A.R.
Appl. Opt. 10: 2494-2500; Oct 73

Continuous Laser-Sustained Plasmas;
Franzen, D.L.
J. Appl. Phys. 44: 1727-1732; Apr 73

Limitations of the Use of Vacuum Photodiodes in Instruments for the Measurement of Laser Power and Energy;
Smith, R.L.; Phelan, R.J., Jr.
Appl. Opt. 12: 795-798; Apr 73

Accurate Frequencies of Molecular Transitions Used in Laser Stabilization: The 3.39-Micrometer Transition in CH4 and the 9.33- and 10.18-Micrometer Transitions in CO_2;
Evenson, K.M.; Wells, J.S.; Petersen, F.R.; Danielson, B.L.; Day, G.W.
Appl. Phys. Lett. 22: 192-195; Feb 73

A Calorimeter for High Power CW Lasers;
Smith, R.L.; Case, W.E.; Rasmussen, A.L.; Russell, T.W.; West, E.D.
Proc., Conf. on Prec. Electromagn. Meas., Jun 26-29, 1972, Boulder, CO, 138-139; 72

High D* Fast Lead Zirconate Titanate Pyroelectric Detectors;
Mahler, R.J.; Phelan, R.J., Jr.; Cook, A.R.
Infrared Phys. 12: 57-59; 72

A Calorimeter for High-Power CW Lasers;
Smith, R.L.; Russell, T.W.; Case, W.E.; Rasmussen, A.L.
IEEE Trans. Instrum. Meas. IM-21: 434-438; Nov 72

Speed of Light from Direct Frequency and Wavelength Measurements of the Methane-Stabilized Laser;
Evenson, K.M.; Wells, J.S.; Petersen, F.R.; Danielson, B.L.; Day, G.W.
Phys. Rev. Lett. 29: 1346-1349; Nov 72

CW Gas Breakdown in Argon Using 10.6 Micrometer Laser Radiation;
Franzen, D.L.
Appl. Phys. Lett. 21: 62-64; Jul 72

Role of Infrared Frequency Synthesis in Metrology;
Wells, J.S.; Evenson, K.M.; Day, G.W.; Halford, D.
Proc., IEEE Lett., Vol. 60: 621-623; May 72

Gain Saturation Measurements in CO_2 TEA Amplifiers;
Franzen, D.L.; Jennings, D.A.
J. Appl. Phys. 43: 729-730; Feb 72

Double Plate Calorimeter for Measuring the Reflectivity of the Plates and the Energy in a Beam of Radiation;
Rasmussen, A.L.
PATENT-3 622, 245; patented; Nov 23, 71

High D* Pyroelectric Polyvinylfluoride Detectors;
Phelan, R.J., Jr.; Mahler, R.J.; Cook, A.R.
Appl. Phys. Lett. 19: 337-338; Nov 71

Measurement of Laser Energy of Linear Components of Polarization at 1.060 Micron;
Rasmussen, A.L.
Rev. Sci. Instrum. 42: 1590-1593; Nov 71

Extension of Absolute Frequency Measurements to the cw He-Ne Laser at 88 THz (3.39 μm);
Evenson, K.M.; Day, G.W.; Wells, J.S.; Mullen, L.O.
Appl. Phys. Lett. 20: 133-134; Feb 71

Laser Power and Energy Measurements;
Jennings, D.A.; West, E.D.; Evenson, K.M.; Rasmussen, A.L.; Simmons, W.R.
NBS TN 382; Oct 69

FIBER AND INTEGRATED OPTICS

Standard Reference Materials for Optical Fibers and Connectors;
Young, M.
Tech. Dig., Optical Fiber Communication Conf. (OFC'95), Feb 26-Mar 3, 1995, San Diego, CA, Vol. 8: 239-240; 95

X-ray Observation of Electroclinic Layer Constriction and Rearrangement in a Chiral Smetic-*A* Liquid Crystal;
Rappaport, A.G.; Williams, P.A.; Thomas, B.N.; Clark, N.A.; Ros, M.B.; Walba, D.M.
Appl. Phys. Lett. 67(3): 362-364; Jul 17, 95

Dielectric Spectroscopic Determination of Temperature Behavior of Electroclinic Parameters in the Liquid Crystal W317;
Williams, P.A.; Clark, N.A.
J. Appl. Phys. 78(1): 413-417; Jul 5, 95

Comment on the paper "Etalon Effect in Laser Mirrors";
Young, M.
Opt. Eng. 34(4): 1243; Apr 95

Guest Editorial for the IEEE Transactions on Instrumentation and Measurement;
Young, M.
IEEE Trans. Instrum. and Meas. IM-44(2): 83-84; Apr 95

Millimeter-Resolution Optical Time-Domain Reflectometry Using a Four Wave Mixing Sampling Gate;
Schlager, J.B.; Jinno, M.; Franzen, D.L.
Photonic Tech. Lett. 7(2): 206-208; Feb 95

Coupling of Modes and Loss on Tapered Optical Waveguides;
Gallawa, R.L.; Kumar, A.; Weisshaar, A.
Proc., Intl. Photonics Res. Conf., San Francisco, CA, February 17-19, 1994; 94

Efficient Vector Solution for Optical Waveguides Using Galerkin's Method with Hermite-Gauss Basic Functions;
Weisshaar, A.; Li, X.; Gallawa, R.L.
Proc., Conf. on Emerging Optoelectronic Technologies (DEOT-94), Bandalore, India, July 18-22, 1995; 94

Fiber Splice Loss: A Simple Method of Calculation;
Gallawa, R.L.; Kumar, A.; Weisshaar, A.
Opt. Quant. Electron. 26: S165-S172; 94

Mode Coupling and Loss on Tapered Optical Waveguides;
Gallawa, R.L.; Kumar, A.; Weisshaar, A.
Tech. Dig., Integ. Photonics Res. Topical Mtg., Feb 17-19, 1994, San Francisco, CA, 3 ThD6-1-3, 57-59; 94

Optical Sampling Using Nondegenerate Four-Wave Mixing in a Semiconductor Laser Amplifier;
Jinno, M.; Schlager, J.B.; Franzen, D.L.
Tech. Dig., Opt. Soc. Am., Optical Amplifiers and Their Applications Topical Mtg., Vol. 14, Aug 3-5, 1994, Breckenridge, CO, 147-149; 94

Software for Performing Gray-Scale Measurements of Optical Fiber End Faces;
Wang, C.-M.; Vecchia, D.F.; Young, M.; Brilliant, N.A.
NIST TN 1370; Nov 94

Video Microscopy Applied to Optical Fiber Geometry Measurements;
Brilliant, N.A.; Alpert, B.K.; Young, M.
NIST TN 1369; Nov 94

Optical Sampling Using Nondegenerate Four-Wave Mixing in a Semiconductor Laser Amplifier;
Jinno, M.; Schlager, J.B.; Franzen, D.L.
Electron. Lett. 30(18): 1489-1490; Sep 1, 94

Fiber Geometry: Results of an International Interlaboratory Measurement Comparison;
Drapela, T.J.; Franzen, D.L.; Young, M.
Tech. Dig., Optical Fiber Meas. Symp., in NIST SP 864, 129-132; Sep 94

Technical Digest–Symposium on Optical Fiber Measurements, 1994;
Day, G.W.; Franzen, D.L.; Hickernell, R.K.
NIST SP 864, 219 pp; Sep 94

Bending-Induced Loss in Dual-Mode Rectangular Waveguides;
Kumar, A.; Gallawa, R.L.
Opt. Lett. 19(10): 707-709; May 15, 94

Bent Rectangular Core Waveguides: An Accurate Perturbation Approach;
Kumar, A.; Gallawa, R.L.
Microwave Opt. Tech. Lett. 7(6): 281-285; Apr 20, 94

Modal Characteristics of Bent Dual Mode Planar Optical Waveguides;
Kumar, A.; Gallawa, R.L.; Goyal, I.C.
J. Lightwave Tech. LT-12(4): 621-624; Apr 94

Lightwave Standards Development at NIST;
Franzen, D.L.
Proc., DoD Fiber Optics Conf.'94, Optical Networks in the Concept of a Global Grid, Mar 22-24, 1994, McLean, VA, 443-445; Mar 94

Symbolic Programming With Series Expansions: Applications to Optical Waveguides;
Gallawa, R.L.; Kumar, A.; Weisshaar, A.
Proc., 10th Annual Review of Progress in Applied Computational Electromagnetics, Mar 21-26, 1994, Monterey, CA, 475-481; Mar 94

Low-Coherence Interferometric Measurement of Group Transit Times in Precision Optical Fiber Delay Lines;
Danielson, B.L.
Tech. Dig., 2nd Optical Fibre Meas. Conf., Sep 21-22, 1993, Torino, Italy, 159-162; 93

Outlier-Resistant Fitting of Gray-Scale Images Illustrated by Optical Fiber Geometry;
Vecchia, D.F.; Wang, C.-M.; Young, M.
Proc., 1993 Meas. Sci. Conf., Los Angeles, CA, Jan 21-22, 1993, 1-10; 93

Studies of the Higher Order Smectic Phase of the Large Electroclinic Effect Material W317;
Williams, P.A.; Komitov, L.; Rappaport, A.G.; Thomas, B.N.; Clark, N.A.; Walba, D.M.; Day, G.W.
Liquid Crystals 14(4): 1095-1105; 93

High-Sensitivity Optical Sampling Using an Erbium-Doped Fiber Laser Strobe;
Schlager, J.B.; Hale, P.D.; Franzen, D.L.
Microwave Opt. Tech. Lett. 6(15): 835-837; Dec 5, 93

Calculated Fiber Attenuation: A General Method Yielding Stationary Values;
Gallawa, R.L.; Goyal, I.C.; Ghatak, A.K.
J. Lightwave Tech. LT-11(12): 1900-1904; Dec 94

Vector Theory of Diffraction by a Single-Mode Fiber: Application to Mode-Field Diameter Measurements;
Young, M.; Wittman, R.C.
Opt. Lett. 18(20): 1715-1717; Oct 15, 93

Improved Variational Analysis of Inhomogeneous Optical Waveguides Using Airy Functions;
Goyal, I.C.; Gallawa, R.L.; Ghatak, A.K.
J. Lightwave Tech. LT-11(10): 1575-1578; Oct 93

Bending-Induced Phase Shifts in Dual-Mode Planar Optical Waveguides;
Kumar, A.; Gallawa, R.L.
Opt. Lett. 18(17): 1415-1417; Sep 1, 93

High-Speed Lightwave Measurements;
Franzen, D.L.
Dig., XXIVth General Assembly of the Intl. Union of Radio Science, Kyoto, Japan; Aug 93

Complex Propagation Constants for Nonuniform Optical Waveguides: Calculations;
Gallawa, R.L.
Microwave and Opt. Tech. Lett. 6(8): 490-493; Jun 20, 93

Technical Digest–Conference on Precision Electromagnetic Measurements;
Steele, J. M.; Young, M., editors
IEEE Trans. Instrum. Meas. IM-42(2): 679 pp; Apr 93

Accuracy of Eigenvalues: A Comparison of Two Methods;
Goyal, I.C.; Gallawa, R.L.; Ghatak, A.K.
J. Math. Phys. 34(3): 1169-1175; Mar 93

Conference Report: Symposium on Optical Fiber Measurements;
Franzen, D.L.; Day, G.W.
NIST JRES 98(2): 253-255; Mar-Apr 93

Optical Fiber Geometry: Accurate Measurement of Cladding Diameter;
Young, M.; Hale, P.D.; Mechels, S.E.
NIST JRES 98(2): 203-216; Mar-Apr, 93

Fiber Spot Size: A Simple Method of Calculation;
Gallawa, R.L.; Goyal, I.C.; Ghatak, A.K.
J. Lightwave Tech. LT-11(2): 192-197; Feb 93

Modified Airy Function Method for the Analysis of Tunneling Problems in Optical Waveguides and Quantum-Well Structures;
Roy, S.; Ghatak, A.K.; Goyal, I.C.; Gallawa, R.L.
IEEE J. Quant. Electron. QE-29(2): 340-345; Feb 93

International Intercomparison of Detector Responsivity at 1300 and 1550 nm;
Gallawa, R.L.; Gardner, J.L.; Nettleton, D.H.; Stock, K.D.
Proc., Conf. on Prec. Electromagn. Meas., '92, 268-269; Jan 93

Optical Fiber Geometry: Accurate Measurement of Cladding Diameter;
Young, M.; Mechels, S.E.; Hale, P.D.
Proc., Conf. on Prec. Electromagn. Meas. '92, 202-203; Jan 93

Transfer Functions for Characterizing Multimode Optical Fiber Components;
Yang, S.
NISTIR 3997, 132 pp; Jan 93

Anharmonic Oscillator Analysis Using Modified Airy Functions;
Goyal, I.C.; Roy, S.; Ghatak, A.K.; Gallawa, R.L.
Can. J. Phys. 70: 1218-1221; 92

Fiber Cladding Diameter Measurement by White Light Interference Microscopy;
Hale, P.D.; Franzen, D.L.
NIST SP 839; 92

Modal Properties of Circular and Noncircular Optical Waveguides;
Gallawa, R.L.; Goyal, I.C.; Ghatak, A.K.
Fiber Integ. Opt. 11: 25-50; 92

Overview of Photonic Primary Standards Development;
Franzen, D.L.
Dig. '92, DoD Fiber Optic Conf., 357-358; 92

Scanning Confocal Microscope for Accurate Dimensional Measurement;
Mechels, S.E.; Young, M.
Proc., Soc. Photo-Opt. Instrum. Engrs., Biomedical Image Processing and Three-Dimensional Microscopy, 542-550; 92

Technical Digest–Symposium on Optical Fiber Measurements, 1992;
Day, G.W.; Franzen, D.L.
NIST SP 839, 245 pp; 92

Accurate Measurements of Fiber Cladding Diameter;
Young, M.; Mechels, S.E.; Hale, P.D.
Tech. Dig., Optical Fiber Meas. Symp., in NIST SP 839, 55-58; Sep 92

Fiber Cladding Diameter Measurement by White Light Interference Microscopy;
Hale, P.D.; Franzen, D.L.
Tech. Dig., Optical Fiber Meas. Symp., in NIST SP 839, 51-54; Sep 92

Single-Mode Fiber Geometry and Chromatic Dispersion: Results of Interlaboratory Comparisons;
Drapela, T.J.; Franzen, D.L.; Young, M.
Tech. Dig., Optical Fiber Meas. Symp., in NIST SP 839, 187-190; Sep 92

Optical Fiber Geometry by Gray-Scale Analysis with Robust Regression;
Mamileti, L.; Young, M.; Wang, C.-M.; Vecchia, D.F.
Appl. Opt. 31(21): 4182-4185; Jul 20, 92

Optical Fiber Geometry: Accurate Measurement of Cladding Diameter;
Young, M.; Mechels, S.E.; Hale, P.D.
Conf. Prec., Electromagn. Meas. '92, 202-203; Jun 92

LP_{11}-Mode Leakage Loss in Coated Depressed Clad Fibers;
Pal, B.P.; Gallawa, R.L.; Goyal, I.C.
Photon. Tech. Lett. 4(4): 376-378; Apr 92

Scanning Confocal Microscopy for Measuring Diameter and Linewidth: Numerical Modelling;
Obarski, G.E.; Drapela, T.J.; Young, M.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 1640: 761-772; Feb 92

Dispersion-Shifted Dual-Shape Core Fibers: Optimization Based on Spot-Size Definitions;
Tewari, R.; Pal, B.P.; Das, U.K.
J. Lightwave Tech. LT-10(1): 1-5; Jan 92

A New Method of Analyzing Planar Optical Waveguides;
Goyal, I.C.; Gallawa, R.L.; Ghatak, A.K.
Opt. Lett. 16: 30-32; 91

Fiber Cladding Diameter by Contact Micrometry;
Young, M.
Proc., Optical Fibre Meas. Conf., York, U.K., Sep 17-18, 1991, 123-126; 91

Guided Wave Optics on Silicon: Physics, Technology, and Status;
Pal, B.P.
Progress in Optics, E. Wolf, ed.; 91

Large Electroclinic Effect in New Liquid Crystal Material;
Williams, P.A.; Ros, M.B.; Clark, N.A.; Vohra, R.T.; Walba, D.M.; Wand, M.D.
Proc., 3rd Intl. Conf. on Ferroelectric Liquid Crystals, Ferroelectrics; Vol 121(1-4), 143-146; 91

Low Coherence Optical Reflectometry of Laser Diode Waveguides;
Boisrobert, C.Y.; Franzen, D.L.; Danielson, B.L.; Christensen, D.H.
Proc., Soc. Photo-Opt. Instrum. Engrs., 1474; 91

Optical Waveguide Analysis Using Modified Airy Functions;
Gallawa, R.L.; Goyal, I.C.; Ghatak, A.K.
Fiber Integ. Opt. 10: 1-10; 91

Scanning Confocal Microscope for Precise Measurements of Optical Fiber Diameter;
Mechels, S.E.; Young, M.
Proc., Soc. Photo-Opt. Instrum. Engrs. '91, 164-170; 91

Video Microscope with Sub-Micrometer Resolution;
Mechels, S.E.; Young, M.
Appl. Opt. 30: 2202-2211; 91

Modified Airy Function and WKB Solutions to the Wave Equation;
Ghatak, A.K.; Gallawa, R.L.; Goyal, I.C.
NIST MN 176; Nov 91

Absolute Optical Ranging Using Low Coherence Interferometry;
Danielson, B.L.; Boisrobert, C.Y.
Appl. Opt. 30(21): 2975-2979; Jul 20, 91

An Approximate Solution to the Scalar Wave Equation for Planar Optical Waveguides;
Goyal, I.C.; Gallawa, R.L.; Ghatak, A.K.
Appl. Opt. 30(21): 2985-2989; Jul 20, 91

An Approximate Solution to the Wave Equation–Revisited;
Goyal, I.C.; Gallawa, R.L.; Ghatak, A.K.
J. Electromagn. Waves Appli. 5: 623-636; Jun 91

A Limited International Intercomparison of Responsivity Scales at Fiber Optic Wavelengths;
Gallawa, R.L.; Li, X.; Gardner, J.L.; Nettleton, D.H.; Stock, K.D.; Ward, T.H.
NIST JRES 96(2): 225-230; Mar-Apr, 91

Optical Waveguide Modes: An Approximate Solution Using Galerkin's Method with Hermite-Gauss Basis Functions;
Gallawa, R.L.; Goyal, I.C.; Tu, Y.; Ghatak, A.K.
IEEE J. Quant. Electron. QE-27(3): 518-522; Mar 91

Symposium on Optical Fiber Measurements;
Day, G.W.; Franzen, D.L.
NIST JRES 96(2): 231-232; Mar-Apr, 91

Methods of Analyzing Planar Optical Waveguides;
Goyal, I.C.; Gallawa, R.L.; Ghatak, A.K.
Opt. Lett. 16(1): 30-32; Jan 1, 91

Measurement Standards to Support Photonics Technology;
Franzen, D.L.
Proc., IEEE Instrum. Meas. Tech. Conf., Feb 13-15, 1990, San Jose, CA, 326-328; 90

Recirculating Pulse Erbium-Fiber Ring Amplifier;
Schlager, J.B.; Yamabayashi, Y.; Franzen, D.L.
Proc., Optical Fiber Communication Conf. (OFC'90), Jan 22-26, 1990, San Francisco, CA; 90

Analyzing Integrated Optical Waveguides: A Comparison of Two New Methods;
Tu, Y.; Goyal, I.C.; Gallawa, R.L.
Appl. Opt. 29(36): 5313-5315; Dec 20, 90

Standards for Optical Fiber Geometry Measurements;
Young, M.
NIST SP 792; Sep 90

Technical Digest–Symposium on Optical Fiber Measurements, 1990;
Day, G.W.; Franzen, D.L.
NIST SP 792; Sep 90

Subpicosecond Pulse Compression and Raman Generation Using a Mode-Locked Erbium-Doped Laser Amplifier;
Schlager, J.B.; Hale, P.D.; Franzen, D.L.
Photonics Tech. Lett. 2(8): 562-564; Aug 90

Bent Planar Waveguides and Whispering Gallery Modes: A New Method of Analysis;
Goyal, I.C.; Gallawa, R.L.; Ghatak, A.K.
J. Lightwave Tech. LT-8(5): 768-774; May 90

Mean Lifetime Calculations of Quantum Well Structures: A Rigorous Analysis;
Ghatak, A.K.; Goyal, I.C.; Gallawa, R.L.
IEEE J. Quant. Electron. QE-26(2): 305-310; Feb 90

Analysis of Bends in Planar Optical Waveguides;
Gallawa, R.L.; Tu, Y.
Fiber Integ. Opt. 8: 87-97; 89

Soliton-Like Compression of Pulses from Erbium-Fiber Lasers;
Schlager, J.B.; Yamabayashi, Y.; Franzen, D.L.
Proc., European Conf. on Optical Communications, ECOC'89, Sep 10-14, 1989, 62-65; 89

Surface Characterization and Testing II;
Grievenkamp, J.E.; Young, M., editors
Proc., Soc. Photo. Opt. Instrum. Engrs., Surface Characterization and Testing II, August 10-11, 1989, San Diego, CA, Vol. 1164, 271 pp; 89

Spatial Light Modulator for Texture Classification;
Haggerty, J.; Young, M.
Appl. Opt. 28(23): 4992-4995; Dec 1, 89

The Pinhole Camera;
Young, M.
The Physics Teacher, 648-655; Dec 89

Mode-Locked Long-Cavity Erbium Fiber Lasers with Subsequent Soliton-Like Compression;
Schlager, J.B.; Yamabayashi, Y.; Franzen, D.L.; Juneau, R.I.
Photonics Tech. Lett. 1(9): 264-266; Sep 89

A Comparison of Far-Field Methods for Determining Mode Field Diameter of Single-Mode Fibers Using Both Gaussian and Petermann Definitions;
Drapela, T.J.; Franzen, D.L.; Cherin, A.H.; Smith, R.J.
J. Lightwave Tech. 7(8): 1153-1157; Aug 89

Numerical Aperture of Multimode Fibers by Several Methods: Resolving Differences;
Franzen, D.L.; Young, M.; Cherin, A.H.; Head, E.D.; Hackert, M.; Raine, K.; Baines, J.
J. Lightwave Tech. LT- 7(6): 896-910; Jun 89

A Standard Reference Fiber for Calibration of Optical Time Domain Reflectometers;
Danielson, B.L.; Whittenberg, C.; Drapela, T.J.
Tech. Dig., 35th Intl. Instrumentation Symp., Paper 4.6; May 89

Spatial Filtering Microscope for Linewidth Measurements;
Young, M.
Appl. Opt. 28(8): 1467-1473; Apr 15, 89

Profile Inhomogeneity in Multimode Graded-Index Fibers;
Oates, C.W.; Young, M.
J. Lightwave Tech. LT-7(3): 530-532; Mar 89

Measurement Standards for Single-Mode Fibers;
Franzen, D.L.
Proc., 1988 Conf. on Prec. Electromagn. Meas., 121-122; 88

Optical Fiber Measurements: Results of Interlaboratory Evaluations;
Franzen, D.L.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 992: 242-244; 88

Fresnel Lenses Display Inherent Vignetting;
Young, M.
Appl. Opt. 27(17): 3593-3594; Sep 1, 88

An Electronic Industries Association Interlaboratory Comparison to Resolve Differences in Multimode Fiber Numerical Aperture Measurements;
Cherin, A.H.; Head, E.; Franzen, D.L.; Young, M.; Hackert, M.
Tech. Dig., Optical Fiber Meas. Symp., in NIST SP 748, 157-160; Sep 88

Interlaboratory Comparison of Far-Field Methods for Determining Mode Field Diameter Using Both Gaussian and Petermann Definitions;
Drapela, T.J.
NBS SP 748, 179-182; Sep 88

Technical Digest–Symposium on Optical Fiber Measurements, 1988;
Day, G.W.; Franzen, D.L.
NBS SP 748, 202 pp; Sep 88

Group Index and Time Delay Measurements of a Standard Reference Fiber;
Danielson, B.L.; Whittenberg, C.D.
NBSIR 88-3091, 20 pp; Jul 88

Interferometric Dispersion Measurements on Small Guided-Wave Structures;
Danielson, B.L.; Whittenberg, C.
Tech. Dig., Conf. on Lasers and Electro-Optics (CLEO '88), pages unnumbered; Apr 88

Conference Report: Symposium on Optical Fiber Measurements;
Day, G.W.; Franzen, D.L.
NBS JRES Vol. 92: 69-70; 87

Optical Fiber Metrology at the National Bureau of Standards;
Franzen, D.L.
Proc., DoD/ANSI/EIA Fiber Optics Standardization Symp., 222-223; 87

Calibration and Standardization Issues for the Optical Time-Domain Reflectometer;
Danielson, B.L.
NBSIR 87-3078, 16 pp; Dec 87

Guided-Wave Reflectometry with Micrometer Resolution;
Danielson, B.L.; Whittenberg, C.D.
Appl. Opt. 26(14): 2836-2842; Jul 15, 87

Microscope Objectives, Cover Slips, and Spherical Aberration;
Oates, C.W.; Young, M.
Appl. Opt. 26(11): 2043; Jun 1, 87

Image Processing Software for Optical Engineering;
Weppner, M.B.; Young, M.
NBSIR 87-3065; Apr 87

Optical Sampling with Gain-Switched Pulse Compressed Distributed-Feedback Laser Diodes;
Franzen, D.L.; Yamabayashi, Y.; Kanada, T.
Electron. Lett. 23(6): 289-290; Mar 87

Attenuation Measurements on Deformed Optical Fibers;
Engelsrath, A.; Danielson, B.L.; Franzen, D.L.
NBSIR 86-3052, 28 pp; 86

Hybrid Computer-Optical Processing with Inexpensive Liquid Crystal Television;
Young, M.; Weppner, M.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 700: 146-153; 86

Technical Digest–Symposium on Optical Fiber Measurements, 1986;
Day, G.W.; Franzen, D.L.
NBS SP 720, 149 pp; Sep 86

Measurement Procedures for Optical Fiber and Related Components;
Danielson, B.L.; Day, G.W.; Franzen, D.L.; Gallawa, R.L.; Kim, E.; Phelan, R.J., Jr.; Young, M.
Rome AFB NY, RADC-TR-86-81; Aug 86

A Comparison of Three Bandwidth Measurements Techniques for Optical Fibers;
Shao, Y.; Gallawa, R.L.
IEEE Trans. Instrum. Meas. IM-35(2): 187-194; Jun 86

Scratch-and-Dig Standard Revisited;
Young, M.
Appl. Opt. 25(12): 1922-1928; Jun 86

Single Mode Fiber Dispersion Measurements using Optical Sampling with a Modelocked Laser Diode;
Kanada, T.; Franzen, D.L.
Opt. Lett. 11: 330-332; May 86

Fiber Bandwidth Measurement Using Pulse Spectrum Analysis;
Yang, S.; Gallawa, R.L.
Appl. Opt. 25(7): 1069-1070; Mar 86

Low-Cost LCD Video Display for Optical Processing;
Young, M.
Appl. Opt. 25(7): 1024-1026; Apr 86

Standard Measurement Procedures for Characterizing Single-Mode Fiber;
Franzen, D.L.
Conf. Dig., Test and Measurement World Expo., San Jose, CA; Apr 86

Optical Waveform Measurement by Optical Sampling/Cross Correlation with a Mode Locked Laser Diode;
Kanada, T.; Franzen, D.L.
Opt. Lett. 11(1): 4-6; Jan 86

Interlaboratory Measurement Comparison among Fiber Manufacturers to Determine the Effective Cutoff Wavelength and Mode-Field Diameter of Single-Mode Fiber;
Franzen, D.L.
Tech. Dig., Optical Fiber Communication Conf., Feb 11-13, 1985, San Diego, CA, 36; 85

Introduction to Fiber Optics: Short-Haul and Long-Haul Measurements and Applications III;
Gallawa, R.L.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 599: vi; 85

Pulse Spectrum Analysis Method of Measuring Fiber Bandwidth;
Yang, S.; Alvarez, R.; Weimer, C.; Gallawa, R.L.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 559: 207-210; 85

Scratch Standards Should Not be Used to Predict Damage Threshold;
Young, M.
NBS SP 669, 151-156; 85

Some Issues in Optical Fiber Bandwidth Measurement;
Yang, S.; Gallawa, R.L.
Proc., IEEE Instrumentation and Measurement Conf., Mar 20-22, 1985, Tampa, FL, 228; 85

The Scratch Standard is Not a Performance Standard;
Young, M.
Dig., Workshop on Optical Fabrication and Testing, Jun 12-13, 1985, Cherry Hill, NJ, ThAA4-1and2; 85

Tunable Scratch Standards;
Young, M.; Johnson, E.G., Jr.; Goldgraben, R.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 525: 70-77; 85

The Scratch Standard is Only a Cosmetic Standard;
Young, M.
Laser Focus/Electro-Optics, 138-140; Nov 85

Determining the Mode-Field Diameter of Single-Mode Optical Fiber: An Interlaboratory Comparison;
Franzen, D.L.; Srivastava, R.
J. Lightwave Tech. LT-3(5): 1073-1077; Oct 85

Optical Time-Domain Reflectometer Specifications and Performance Testing;
Danielson, B.L.
Appl. Opt. 24(15): 2313-2322; Aug 1, 85

Pattern Recognition Using Incoherent OTF Synthesis and Edge Enhancement;
Katzir, Y.; Young, M.; Glaser, I.
Appl. Opt. 24(6): 863-867; Mar 15, 85

Determining the Effective Cutoff Wavelength of Single-Mode Fibers: An Interlaboratory Comparison;
Franzen, D.L.
J. Lightwave Tech. LT-3(l): 128-133; Feb 85

Intramodal Part of the Transfer Function for an Optical Fiber;
Rodhe, P.M.
J. Lightwave Tech. LT-3(1): 154-158; Feb 85

Redefining the Scratch Standards;
Young, M.; Johnson, E.G., Jr.
NBS TN1080, 20 pp; Feb 85

The Bandwidth of a Multimode Fiber Chain;
Rodhe, P.
J. Lightwave Tech. LT-3(1): 145-154; Feb 85

Conference Report: Fiber Optics Emphasis on Single Mode;
Franzen, D.L.; Day, G.W.
1984 Optical Fiber Measurements Symp., in NBS JRES 90(1): 49 pp; Jan-Feb 85

Technical Digest–Symposium on Optical Fiber Measurements, 1984;
Day, G.W.; Franzen, D.L.
NBS SP-683; Oct 84

Attenuation of Multimode Fused Silica Optical Fibers Cooled to Liquid Helium Temperatures;
Engelsrath, A.; Larson, D.R.; Phelan, R.J., Jr.; Franzen, D.L.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 499: 124-130; Aug 84

Equivalent Step-Index Parameters in Single-Mode Fibers: Measurement and Applications;
Srivastava, R.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 500: 27-36; Aug 84

Measurement of Multimode Optical Fiber Attenuation: An NBS Special Test Service;
Gallawa, R.L.; Chamberlain, G.E.; Day, G.W.; Franzen, D.L.; Young, M.
NBSIR 83-1691; Feb 84

Some Trends in Optical Electronic Metrology;
Sanders, A.A.
Proc., 1984 Measurement Science Conf., Los Angeles, CA; Jan 84

Objective Measurements and Characteristics of Scratch Standards;
Young, M.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 3526: 86-92; Spring 83

Estimating Index Profiles of 1.3 μm Single Mode Fibers by Near-Field Measurements at Blue Wavelengths;
Kim, E.M.; Franzen, D.L.; Young, M.; Rodhe, P.M.
J. Lightwave Tech. LT-1(4): 562-566; Dec 83

Simulating the Scratch Standards for Optical Surfaces-Theory;
Johnson, E.G., Jr.
Appl. Opt. 22(24): 4056-4068; Dec 83

Optical Fiber Characterization Attenuation Frequency Domain Bandwidth and Radiation Patterns;
Chamberlain, G.E.; Day, G.W.; Franzen, D.L.; Gallawa, R.L.; Kim, E.M.; Young, M.
NBS SP 637, Vol. II; Oct 83

Linewidth Measurement by High-Pass Filtering-A New Look;
Young, M.
Appl. Opt. 22(13): 2022-2025; Jul 83

Measurement of Multimode Optical Fiber Attenuation: An NBS Special Test Service;
Gallawa, R.L.; Chamberlain, G.E.; Day, G.W.; Franzen, D.L.; Young, M.
NBS TN 1060; Jun 83

Optical Time-Domain Reflectometer Performance and Calibration Studies;
Danielson, B.L.
NBS TN 1064; Jun 83

Two-Dimensional Near-Field Contouring of Optical Fiber Cores;
Kim, E.M.; Franzen, D.L.
Proc., Soc. Photo-Opt. Instrum. Engrs.; Jun 83

EIA Fiber Performance Measurement Standards;
Gallawa, R.L.; Franzen, D.L.
Photonics Spectra, 55-68; Apr 83

Questions Students Ask;
Young, M.
Physics Teacher, 194-195; Mar 83

An Inter-Laboratory Measurement Comparison of Core Diameter on Graded-Index Optical Fibers;
Kim, E.M.; Franzen, D.L.
NBS SP 641; Oct 82

Measurement of the Core Diameter of Graded-Index Optical Fibers: An Interlaboratory Comparison;
Kim, E.M.; Franzen, D.L.
Appl. Opt. 21(19): 3443-3450; Oct 82

Technical Digest–Symposium on Optical Fiber Measurements, 1982;
Franzen, D.L.; Day, G.W.; Gallawa, R.L.
NBS SP 641; Oct 82

Optical Fiber Characterization;
Day, G.W.; Danielson, B.L.; Franzen, D.L.; Kim, E.; Young, M.
NBS SP 637, Vol. I; Jul 82

Calibration Reticle for Optical Fiber Near-Field Core Diameter Measurements;
Kim, E.M.; Franzen, D.L.
Tech. Dig., Conf. on Prec. Electromagn. Meas.; May 82

Characterization of a Concentric-Core Fiber;
Danielson, B.L.; Franzen, D.L.; Gallawa, R.L.; Kim, E.M.; Young, M.
NBSIR 82-1661; Apr 82

On the Definition of Fiber Numerical Aperture;
Gallawa, R.L.
Electro-Optical Systems Design, 47; Apr 82

Quantum Noise Limits the Pinspeck Camera to Simple Objects;
Young, M.
J. Opt. Soc. Am. 72(3): 402-403; Mar 82

Book Review: Principles of Optical Fiber Measurements by D. Marcuse;
Young, M.
Laser Focus, 118-119; Jan 82

Optical Waveguide Communications Glossary;
Hanson, A.G.; Bloom, L.R.; Day, G.W.; Gallawa, R.L.; Gray, E.M.; Young, M.
NBS HB 140; Jan 82

Long Optical Fiber Fabry Perot Interferometers;
Franzen, D.L.; Kim, E.M.
Appl. Opt. 20(23): 3991-3992; 81

An Optical Waveguide Communications Glossary Revised;
Hanson, A.G.; Bloom, L.R.; Day, G.W.; Young, M.; Gray, E.M.; Gallawa, R.L.
NBS HB 140; Dec 81

Backscatter Signature Simulations;
Danielson, B.L.
NBS TN 1050; Dec 81

Book Review: Optical Fibre Communication (invited review);
Gallawa, R.
IEEE Spectrum 18(11): 81-82; Nov 81

The Use of LEDs as YAG Laser Simulators;
Young, M.
Proc., Conf. on Electro-Optics and Lasers; Nov 81

Optical Fiber Index Profiles by Refracted-Ray Scanning;
Young, M.
Appl. Opt. 20(19): 3415-3421; Oct 81

Measurement of Optical Fiber Bandwidth in the Frequency Domain;
Day, G.W.
NBS TN 1046; Sep 81

Standardizing Test Conditions for Characterizing Fibers;
Franzen, D.L.; Day, G.W.; Gallawa, R.L.
Laser Focus 17: 103-105; Aug 81

Interlaboratory Measurement Comparison to Determine the Attenuation and Bandwidth of Graded-Index Fibers;
Franzen, D.L.; Day, G.W.; Danielson, B.L.; Chamberlain, G.E.; Kim, E.M.
Appl. Opt. 20(14): 2412-2419; Jul 15, 81

The Characterization of Optical Fiber Waveguides: A Bibliography with Abstracts 1970-1980;
Day, G.W.
NBS TN 1043; Jun 81

Refracted-Ray Scanning (Refracted Near-Field Scanning) for Measuring Index Profiles of Optical Fibers;
Young, M.
NBS TN 1038; May 81

Present NBS Capability in Optical Fiber Measurements;
Day, G.W.; Franzen, D.L.
Proc., 1st Intl. DoD/Industry Fiber Optics Standards Conf., Washington, DC; Apr 81

Results of an Interlaboratory Measurement Comparison Among Fiber Manufacturers to Determine Attenuation Bandwidth and Numerical Aperture of Graded Index Optical Fibers;
Franzen, D.L.; Day, G.W.; Danielson, B.L.; Kim, E.M.
Dig., 3rd Intl. Conf. Integrated Optics and Optical Fiber Comm., San Francisco, CA; Apr 81

Results of an Inter-Laboratory Measurement Comparison to Determine the Radiation Angle (NA) of Graded Index Optical Fibers;
Franzen, D.L.; Kim, E.M.
Appl. Opt. 20(7): 1218-1220; Apr 81

Backscatter Measurements in Optical Fibers;
Danielson, B.L.
NBS TN 1034; Feb 81

Measurement of Far-Field and Near-Field Radiation Patterns from Optical Fibers;
Kim, E.M.; Franzen, D.L.
NBS TN 1032; Feb 81

Progress in Fiber Measurements;
Day, G.W.; Franzen, D.L.
Laser Focus, 52-56; Feb 81

The Role of Backscatter Signatures in Optical Fiber Characterization;
Danielson, B.L.
Tech. Dig., lst Intl. DoD Ind. Fiber Optics Congress, Apr 20, 1980, Washington, DC; 80

Linearity and Resolution of Refracted Near-Field Scanning Techniques;
Young, M.
Tech. Dig., Symp. on Optical Fiber Measurements, in NBS SP 597; Oct 80

Technical Digest–Symposium on Optical Fiber Measurements, 1980;
Day, G.W.; Franzen, D.L.
NBS SP 597; Oct 80

Calibration Technique for Refracted Near-Field Scanning of Optical Fibers;
Young, M.
Appl. Opt. 19: 2479-2480; Aug 80

An Assessment of the Backscatter Technique as a Means for Estimating Loss in Optical Waveguides;
Danielson, B.L.
NBS TN 1018; Feb 80

Measurement of Optical Fiber Bandwidth in the Time Domain;
Franzen, D.L.; Day, G.W.
NBS TN 1019; Feb 80

Book review: Linear Systems Fourier Transforms and Optics by J.D. Gaskill;
Young, M.
J. Opt. Soc. Am. 69: 637-638; 79

Measurement of Propagation Constants Related to Material Properties in High Bandwidth Optical Fibers;
Franzen, D.L.; Day, G.W.
IEEE J. Quant. Electron. QE-15(12); Dec 79

Limitations Imposed by Material Dispersion on the Measurement of Optical Fiber Bandwidth with Laser Diode Sources;
Franzen, D.L.; Day, G.W.
J. Opt. Soc. Am. 69(10): 1448; Oct 79

Optical Waveguide Communications Glossary;
Hanson, A.G.; Bloom, L.R.; Day, G.W.; Gallawa, R.L.; Gray, E.M.; Young, M.
NTIA SP 79-4; Sep 79

Time Domain Pulse Measurements and Computed Frequency Response of Optical Communications Components;
Andrews, J.R.; Young, M.
NBSIR 79-1620; Sep 79

Fiber Measurements: Quality and Cost;
Day, G.W.
Proc., Intl. Communications Conf., Boston, MA; Jun 79

Attenuation Measurements on Optical Fiber Waveguides: An Interlaboratory Comparison Among Manufacturers;
Day, G.W.; Chamberlain, G.E.
NBSIR 79-1608; May 79

Conference on Optical Scattering Standards;
Young, M.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 181: 133-134; Apr 79

A Simple First Positive System Nitrogen Laser for Use in Optical Fiber Measurements;
Franzen, D.L.; Danielson, B.L.; Day, G.W.
IEEE J. Quant. Electron. QE-14: 548; 78

Measurement Problems in Multimode Optical Waveguides;
Day, G.W.
Proc., Intl. Communications Conf. Vol. 1, Jun 1978, Toronto, Canada; 78

Optical Fiber Phase Discriminator;
Danielson, B.L.
Appl. Opt. 17: 3665-3668; Nov 78

Fiber Optics Metrology at NBS;
Danielson, B.L.; Day, G.W.; Franzen, D.L.
Proc., Union Radio Scientifique Intl. Comm. Symp., Oct 3-7, 1977, Lannion, France, (Intl. Union of Radio Science, France), 430-431; Dec 77

OPTICAL FIBER SENSORS

Domain Effects in Faraday Effect Sensors Based on Iron Garnets;
Deeter, M.N.
Appl. Opt. 34(4): 655-658; Feb 1, 95

Magnetooptic Effects;
Deeter, M.N.; Day, G.W.; Rose, A.H.
CRC Handbook of Laser Science and Technology, Supplement 2: Optical Materials; Sec. 9.1, Crystals and Glasses, 5, 367-402; Jan 95

A Polarization Insensitive 3x3 Sagnac Current Sensor Using Polarizing Spun High-Birefringence Fiber;
Clarke, I.; Rochford, K.B.; Day, G.W.
Proc., Soc. Photo-Opt. Instrum. Engrs., 2360, 10th Optical Fibre Sensors Conf., Oct 11-13, 1994, Glasgow, Scotland, Post-Deadline; 94

Effect of Semiconductor Laser Characteristics on Optical Fiber Sensor Performance;
Rochford, K.B.; Rose, A.H.; Clarke, I.; Day, G.W.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 2148: 269-279; 94

Faraday Effect Current Sensor with Improved Sensitivity-Bandwidth Product;
Rochford, K.B.; Rose, A.H.; Deeter, M.N.; Day, G.W.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 2360, 10th Optical Fibre Sensors Conf., Oct 11-13, 1994, Glasgow, Scotland: 32-35; 94

Improved Annealing Technique for Optical Fiber;
Rose, A.H.; Ren, Z.B.; Day, G.W.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 2360, 10th Optical Fibre Sensors Conf., Oct 11-13, 1994, Glasgow, Scotland, 306-309; 94

Optical Wheel-Rotation Sensor;
Deeter, M.N.; Veeser, L.R.; Rodriguez, P.; Forman, P.R.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 2360, 10th Optical Fibre Sensors Conf., Oct 11-13, 1994, Glasgow, Scotland: 388-391; 94

Standard Polarization Components: Progress Toward an Optical Retardance Standard;
Rochford, K.B.; Rose, A.H.; Williams, P.A.; Clarke, I.; Day, G.W.
Proc., Soc. Photo-Opt. Instrum. Engrs., Polarization Analysis and Measurement II, Jul 25-27, 1994, San Diego, CA, Vol. 2265, 2-8; 94

Faraday Effect Current Sensor with Improved Sensitivity-Bandwidth Product;
Rochford, K.B.; Rose, A.H.; Deeter, M.N.; Day, G.W.
Opt. Lett. 19(22): 1903-1905; Nov 15, 94

Novel Bulk Iron Garnets for Magneto-Optic Magnetic Field Sensing;
Deeter, M.N.; Milian Bon, S.; Day, G.W.
Proc., IEEE Trans. Magn., 6th Joint Magnetism and Magnetic Materials Intl. Mag. Conf., Albuquerque, NM, Jun 20-23, 1994, 4464-4466; Nov 94

Polarization Dependence of Response Functions in 3x3 Sagnac Optical Fiber Current Sensors;
Rochford, K.B.; Day, G.W.; Forman, P.R.
J. Lightwave Tech. LT-12(8): 1504-1509; Aug 94

Optical Fiber Sensors: Accelerating Applications in Navy Ships;
Day, G.W.; Lovely, P.S.; Whitesel, H.K.; Hickernell, R.K.
NISTIR 5018, 58 pp; May 94

Faraday Effect Sensors for Magnetic Field and Electric Current;
Rochford, K.B.; Day, G.W.; Deeter, M.N.; Rose, A.H.
Proc., DoD Fiber Optics '94, Optical Networks in the Concept of a Global Grid, McLean, VA, Mar 22-24, 1994, 21-24; Apr 94

Interlaboratory Comparison of Polarization-Holding Parameter Measurements on High Birefringence Optical Fiber;
Craig, R.M.; Tang, D.; Day, G.W.
Tech. Dig., 2nd Optical Fibre Meas. Conf., Sep 21-22, 1993, Torino, Italy, 177-180; 93

Self Calibrating Fiber Optic Sensors: Potential Design Methods;
Whitesel, H.K.; Miller, C.A.; Day, G.W.; Rose, A.H.
Proc., Intl. Symp. on Spectral Sensing Research (ISSSR), Vol. I, Nov 15-20, 1992, Maui, HI, 324-341; 93

Wideband Current and Magnetic Field Sensors Based on Iron Garnets;
Deeter, M.N.; Rochford, K.B.; Rose, A.H.; Day, G.W.
Tech. Program, 3rd Annual DARPA Symp. on Photonic Systems for Antenna Applications, Jan 20-22, 1993, Monterey, CA; 93

Magneto-Optic Magnetic Field Sensors Based on Uniaxial Iron Garnet Films in Optical Waveguide Geometry;
Deeter, M.N.; Day, G.W.; Wolfe, R.; Fratello, V.J.
IEEE Trans. Magn. TM- 29(6): 3402-3404; Nov 93

Submicroampere-per-root-hertz Current Sensor Based on the Faraday Effect in Ga:YIG;
Rose, A.H.; Deeter, M.N.; Day, G.W.
Opt. Lett. 18(17): 1471-1473; Sep 1, 93

Magneto-Optic Magnetic Field Sensor with 1.4 pT/√Hz Minimum Detectable Field at 1 kHz;
Deeter, M.N.; Day, G.W.; Beahn, T.J.; Manheimer, M.
Electron. Lett. 29(11): 993-994; May 27, 93

Polarization Dependence of Response Functions in 3x3 Sagnac Optical Fiber Current Sensors;
Rochford, K.B.; Day, G.W.
Proc., 9th Optical Fiber Sensors Conf., Firenze, Italia, May 4-6, 1993, Post-Deadline; May 6, 93

High-Speed High Sensitivity Magnetic Field Sensors Based on the Faraday Effect in Iron Garnets;
Deeter, M.N.
Proc., 9th Optical Fiber Sensors Conf., Firenze, Italia, May 4-6, 1993, 409-414; May 93

Self-Calibrating Fiber Optic Sensors: Potential Design Methods;
Whitesel, H.K.; Day, G.W.; Rose, A.H.; Miller C.A.
Tech. Report, Naval Surface Warfare Center, CARDIVNSWC-TR-80-92/15; May 93

Magneto-Optic Characterization of Iron Garnet Crystals Using Photoelastic Modulation;
Deeter, M.N.; Williams, P.A.
Dig., Inter. Magn. Conf., Stockholm, Sweden, Apr 13-16, 1993, JQ-02; Apr 93

Magneto-Optic Magnetic Field Sensors Based on Uniaxial Iron Garnet Films in Optical Waveguide Geometry;
Deeter, M.N.; Day, G.W.; Wolfe, R.; Fratello, V.J.
Dig., Inter. Mag. Conf., Stockholm, Sweden, Apr 13-16, 1993, EF-09; Apr 93

Domain Effects in Faraday Effect Sensors Based on Iron Garnets;
Deeter, M.N.
Proc., 8th Optical Fibers Sensors Conf., Jan 29-31, 1992, Monterey, CA, Post Deadline paper; 92

Faraday Effect Current Sensors;
Day, G.W.; Deeter, M.N.; Rose, A.H.
Proc., 17th Australian Conf. on Optical Fibre Tech., Nov 30-Dec 3, 1992, Hobart, Tasmania, Australia, 20-27; 92

Magneto-Optic Characterization of Iron Garnet Crystals Using Photoelastic Modulation;
Deeter, M.N.; Williams, P.A.
IEEE Trans. Magn. TM-28: 3234-3236; 92

Magneto-Optic Characterization of Iron Garnet Crystals Using Photoelastic Modulation;
Deeter, M.N.; Williams, P.A.
Tech. Dig., Intl. Mag. Conf., Apr 13-16, 1992, St. Louis, MO, JQ-02; 92

Submicroampere per Root Hz High Bandwidth Current Sensor Based on the Faraday Effect in Ga:YIG;
Rose, A.H.; Deeter, M.N.; Day, G.W.
Proc., 8th Optical Fibers Sensors Conf., Jan 29-31, 1992, Monterey, CA, 394-397; 92

High Frequency Magnetic Field Sensors Based on the Faraday Effect in Garnet Thick Films;
Wolfe, R.; Gyorgy, E.M.; Lieberman, R.A.; Fratello, V.J.; Licht, S.J.; Deeter, M.N.; Day, G.W.
Proc., Optical Fibers Sensors Conf., Jan 29-31, 1992, Monterey, CA, 390-393, 92; and Appl. Phys. Lett. 60(17): 2048-2050; Apr 27, 92

High Sensitivity High Speed Current Sensor Based on the Faraday Effect in Ga:YIG;
Rose, A.H.; Deeter, M.N.; Day, G.W.
Proc., 8th Optical Fiber Sensors Conf., 394-397; Jan 92

Faraday Effect Sensors: A Review of Recent Progress;
Day, G.W.; Deeter, M.N.; Rose, A.H.
Proc., Intl. Optical Fiber Sensors Conf., Oct. 9-11, 1991, Wuhan, China, 11-26; 91

Faraday-Effect Magnetic Field Sensors Based on Substituted Iron Garnets;
Deeter, M.N.; Rose, A.H.; Day, G.W.
Proc., Soc. Photo-Opt. Instrum. Engrs., Fiber Optics and Laser Sensors Conf., Sep 16-21, 1990, Vol. 1367: 243-248; 91

Fiber-Optic Sensors for Aerospace Electrical Measurements: An Update;
Rose, A.H.; Tang, D.; Day, G.W.
Proc., 26th IECEC-91, Aug 4-9, 1991, Boston, MA, 180-183; 91

Fiber-Optic Sensors for Aerospace Electrical Measurements: An Update;
Patterson, R.L.; Rose, A.H.; Tang, D.; Day, G.W.
NASA Tech. Memorandum 104454, 1-4; 91

Sensitivity Limits to Ferrimagnetic Faraday Effect Magnetic Field Sensors;
Deeter, M.N.; Rose, A.H.; Day, G.W.; Samuelson, S.
J. Appl. Phys. 70(10): 6407-6409; Nov 15, 91

Optical Fiber Voltage Sensors for Broad Temperature Ranges;
Rose, A.H.; Day, G.W.
Proc., Soc. Photo-Opt. Instrum. Engrs., Fiber Optic Components and Reliability, Vol. 1580: 95-103; Sep 91

Annealing of Linear Birefringence in Single-Mode Fiber Coils: Application to Optical Fiber Current Sensors;
Tang, D.; Rose, A.H.; Day, G.W.; Etzel, S.M.
J. Lightwave Tech. LT-9(8): 103-1037; Aug 91

Compensation for the Temperature Dependence of the Faraday Effect in Diamagnetic Materials: Application to Optical Fiber Sensors;
Williams, P.A.; Day, G.W.; Rose, A.H.
Electron. Lett. 27(13): 1131-1132; Jun 20, 91

Performance and Limitations of Faraday Effect Sensors Extended Abstracts;
Rose, A.H.; Deeter, M.N.; Tang, D.; Day, G.W.
Proc., 178th Mtg. of the Electrochem. Soc.; Jun 91

Temperature Dependence of the Verdet Constant in Several Diamagnetic Glasses;
Williams, P.A.; Rose, A.H.; Day, G.W.; Deeter, M.N.; Milner, T.E.
Appl. Opt. Lett. 30: 1176-1178; Apr 91

A Fiber-Optic Current Sensor for Aerospace Applications;
Patterson, R.L.; Rose, A.H.; Tang, D.; Day, G.W.
Proc., 25th Intersociety Energy Conversion Eng. Conf., Aug 12-17, 1990, Reno, NV, NASA Tech. Memorandum 103152, 500-504; 90

Faraday Effect Current Sensing Using a Sagnac Interferometer with a 3x3 Coupler;
Veeser, L.R.; Day, G.W.
Proc., 7th Optical Fibre Sensors Conf., Dec 3-6, 1990, Sydney, Australia, 325-328; 90

High Speed Magnetic Field Sensors Based on Iron Garnets;
Deeter, M.N.; Rose, A.H.; Day, G.W.
Proc., DoD Fiber Optics Conf. '90, Mar 20-23, 1990, McLean, VA, 423-424; 90

Iron-Garnet Magnetic Field Sensors with 100 pT/√Hz Noise-Equivalent Field;
Deeter, M.N.; Rose, A.H.; Day, G.W.
Proc., 7th Optical Fibre Sensors Conf., Dec 3-6, 1990, Sydney, Australia, 341-344; 90

Optical Fiber Current Sensors with Temperature Stabilities near the Material Limit;
Tang, D.; Rose, A.H.; Day, G.W.
Tech. Dig., 7th Intl. Optical Fiber Sensors Conf., Dec 2-7, 1990, Sydney, Australia; 90

Practical Considerations in the Design of Optical Fiber Current Sensors;
Tang, D.; Rose, A.H.; Day, G.W.
Proc., Intl. Congress on Optical Science and Engineering, Mar 12-15, 1990, The Hague, The Netherlands; 90

Fast Sensitive Magnetic Field Sensors Based on the Faraday Effect in YIG;
Deeter, M.N.; Rose, A.H.; Day, G.W.
J. Lightwave Tech. LT-8(12):. 1838-1842; Dec 90

Performance and Limitations of Faraday Effect Sensors;
Rose A.; Deeter, M.N.; Tang, D.; Day, G.W.
J. Electrochem. Soc., Extended Abstracts of 178th Mtg., Vol. 90-2: 1093; Oct 90

Faraday Effect Sensors: The State of the Art;
Day, G.W.; Rose, A.H.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 985: 138-150; 89

Polarimetric Magnetic Field Sensors Based on Yttrium Iron Garnet;
Deeter, M.N.; Rose, A.H.; Day, G.W.
Tech. Dig., Lasers and Electro-Optics Society Mtg., (LEOS '89) Oct 17-20, 1989, Orlando, FL, M7 3, 110; 89

Recent Advances in Faraday Effect Sensors;
Day, G.W.
Proc., Intl. Optical Fiber Sensors Conf., Sep 1989, Paris, France, 250-254; 89

New Compensation Method for Bulk Optical Sensors with Multiple Birefringences;
Lee, K.S.
Appl. Opt. 28(11): 2001-2011; Jun 89

Optical Fiber Sensors for Electromagnetic Quantities;
Day, G.W.; Lee, K.S.; Rose, A.H.; Veeser, L.R.; Papatheofanis, B.; Whitesel, H.K.
Proc., DoD Fiber Optics Conf. and ISA Annual Conf., 205-207; 88

Stability of Birefringent Linear Retarders (Waveplates);
Hale, P.D.; Day, G.W.
Appl. Opt. 27: 5146-5151; Dec 15, 88

Effect of Multiple Internal Reflections on the Stability of Electrooptic and Magnetooptic Sensors;
Lee, K.S.; Day, G.W.
Appl. Opt. 27: 4609-4611; Nov 15, 88

Progress in the Development of Miniature Optical Fiber Current Sensors;
Tang, D.; Day, G.W.
Proc., Lasers and Electro-optics Society Annual Mtg., 306-307; Nov 88

Optical Fiber Sensors for the Measurement of Electromagnetic Quantities;
Rose, A.H.; Day, G.W.; Lee, K.S.; Tang, D.; Veeser, L.R.; Papatheofanis, B.; Whitesel, H.K.
Proc., Sensors Expo 1988, 209A-1-3; Sep 88

Fiber Optic Faraday Rotation Current Sensor;
Veeser, L.R.; Day, G.W.
Proc., 4th Intl. Megagauss Field Generation and Related Topics Conf.; 87

Limits to the Precision of Electro-optic and Magneto-optic Sensors;
Day, G.W.; Hale, P.D.; Deeter, M.N.; Milner, T.E.; Conrad, D.; Etzel, S.M.
Electric Power Research Institute (EPRI) EL-5431 1; Mar 87

Fiber Optic Sensing of Pulsed Currents;
Veeser, L.; Chandler, G.I.; Day, G.W.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 648: 197-212; 86

Progress in the Design of Optical Fiber Sensors for the Measurement of Pulsed Electric Currents;
Day, G.W.; Veeser, L.R.; Chandler, G.I.; Cernosek, R.W.
Proc., Workshop on Measurements of Elect. Quan. in Pulsed Power Systems, Mar. 1986, Gaithersburg, MD, 58-63; 86

Compact Fiber Sensors for the Measurement of Low Level Electric Currents;
Day, G.W.
Proc., 4th Intl. Optical Fiber Sensors Conf., Tokyo, Japan, 81-84; Oct 86

Annealing of Bend-Induced Birefringence in Fiber Current Sensors;
Day, G.W.; Etzel, S.M.
Tech. Dig., 5th Intl. Conf. on Integ. Opt. and Opt. Fibre Communication/11th European Conf. on Opt. Communication, IOOC-ECOC, Vol. 1, Oct 1-4, 1985, Venice, Italy, 871-874; 85

Optical Fiber Sensors for the Measurement of Pulsed Electric Currents;
Day, G.W.; McFadden, J.D.O.; Veeser, L.R.; Chandler, G.I.; Cernosek, R.W.
Proc., NATO/AGARD (Advisory Group for Aerospace Research and Development) Guided Optical Structures in the Military Environment, Sep 23-27, 1985, Istanbul, Turkey, AGARD-CPP-383: 8-1 to 8-9; 85

Birefringence Measurements in Single Mode Optical Fiber;
Day, G.W.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 425: 72-79; 83

FIBER AND DISCRETE COMPONENTS

Inexpensive Laser Trapping and Cooling Experiment for Undergraduate Laboratories;
Wieman, C.E.; Flowers, G.E.; Gilbert, S.L.
Am. J. Phys. 63(4): 317-330; Apr 95

Decay of Bragg Gratings in Hydrogen-Loaded Optical Fibers;
Patrick, H.; Gilbert, S.L.; Lidgard, A.
Tech. Dig., Optical Fiber Communication Conf. (OFC'95), San Diego, CA, Vol. 8: 179-180; Feb 26 - Mar 3, 95

Growth Characteristics of Fiber Gratings;
Gilbert, S.L.; Patrick, H.
Proc., Conf. on Lasers and Electro-Optics, Oct 31-Nov 3, 1994, Boston, MA, 131-132; Nov 94

Decrease of Fluorescence in Optical Fiber During Exposure to Pulsed or Continuous-Wave Ultraviolet Light;
Patrick, H.; Gilbert, S.L.; Lidgard, A.
Opt. Mater. 3(94): 209-216; Aug 94

Comparison of UV-Induced Fluorescence and Bragg Grating Growth in Optical Fiber;
Gilbert, S.L.; Patrick, H.
Tech. Dig., Conf. on Lasers and Electro-Optics (CLEO '94), Vol. 8, May 8-13, 1994, Anaheim, CA, 244; May 94

Bragg Gratings in Optical Fibers Produced by a Continuous-Wave Ultraviolet Source;
Patrick, H.; Gilbert, S.L.
Proc., Conf. on Lasers and Electro-Optics, May 2-7, 1993, Baltimore, MD, 508; 93

Frequency Stabilization of a Fiber Laser to Rubidium: A High-Accuracy 1.53 μm Wavelength Standard;
Gilbert, S.L.
Proc., Soc. Photo-Opt. Instrum. Engrs. 1837: 146-153; 93

High-Resolution Spectroscopy of Laser Cooled Rubidium in a Vapor-Cell Trap;
Gilbert, S.L.
Proc., Quant. Electron. and Science Conf., May 2-7, 1993, Baltimore, MD, 212; 93

Optical Probing of Cold Trapped Atoms;
Fox R.W.; Gilbert, S.L.; Hollberg, L.; Marquardt, J.H.; Robinson, H.G.
Opt. Lett. 18: 1456-1458; 93

Growth of Bragg Gratings Produced by Continuous-Wave Ultraviolet Light in Optical Fiber;
Patrick, H.; Gilbert, S.L.
Opt. Lett. 18(18): 1484-1486; Sep 15, 93

Laser Cooling and Trapping for the Masses;
Gilbert, S.L.; Wieman, C.E.
Opt. and Photonics News 4: 8-14; Jul 93

Atomic Physics Tests of Nonlinear Quantum Mechanics;
Bollinger, J.J.; Heinzen, D.J.; Itano, W.M.; Gilbert, S.L.; Wineland, D.J.
Proc., Santa Fe Workshop, Foundations of Quantum Mechanics, World Scientific, Singapore, 40; 92

Moderate-Accuracy Wavelength Standards for Optical Communications;
Gilbert, S.L.; Drapela, T.J.; Franzen, D.L.
Tech. Dig., Optical Fiber Meas. Symp., in NIST SP 839, 191-194; Sep 92

A 303 MHz Frequency Standard Based on Trapped Be^+ Ions;
Bollinger, J.J.; Heinzen, D.J.; Itano, W.M.; Gilbert, S.L.; Wineland, D.J.
IEEE Trans. Instrum. Meas. IM-40: 126-128; 91

Atomic Physics Tests of Nonlinear Quantum Mechanics;
Bollinger, J.J.; Heinzen, D.J.; Itano, W.M.; Gilbert, S.L.; Wineland, D.J.
Proc., 12th Intl. Conf. on Atomic Physics, 461; 91

Frequency Stabilization of a Tunable Erbium-Doped Fiber Laser;
Gilbert, S.L.
Opt. Lett. 16: 150-152; 91

Dual Wavelength Pulse Generation Using a Mode-Locked Erbium-Doped Fiber Ring Laser;
Schlager, J.B.; Kawanishi, S.; Saruwatari, M.
Electron. Lett. 27(22): 2072-2073; Oct 91

High Resolution Spectroscopy Using Fiber Lasers;
Gilbert, S.L.
Proc., 10th Intl. Conf. on Laser Spectroscopy, Jun 17-22, 1991, Font-Romeu, France, 359-364; Jun 91

Wavelength Measurement System for Optical Fiber Communications;
Obarski, G.E.
NIST TN 1336, 44 pp; Feb 90

DIELECTRIC MATERIALS AND DEVICES

Distributed Feedback Lasers in Rare-Earth-Doped Phosphate Glass;
Veasey, D.L.; Malone, K.J.; Aust, J.A.; Sanford, N.A.
Proc., 7th European Conf. on Integrated Optics, April 3-6, 1995, Delft, The Netherlands, 579-581; Apr 6, 95

Glasses for Waveguide Lasers;
Malone, K.J.; Veasey, D.L.; Sanford, N.A.; Hayden, J.S.
Proc., Soc. Photo-Opt. Instrum. Engrs., Properties and Characteristics of Glass III, Jul 28-29, 1994, San Diego, CA, 75-87; 94

Integrated-Optical Devices in Rare-Earth-Doped Glass;
Malone, K.J.
Proc., Soc. Photo-Opt. Instrum. Engrs., Glass Integrated Optics and Optical Devices, Vol. CR53, Jul 24-25, 1994, San Diego, CA, 132-156; 94

Using Secondary Ion Mass Spectrometry (SIMS) to Characterize Optical Waveguide Materials;
Novak, S.W.; Zavada, J.M.; Malone, K.J.
Proc., 28th Annual Microbeam Analysis Society Mtg., Jul 21-Aug 5, 1994, New Orleans, LA, 167-168; 94

Passively Q-Switched Nd-Doped Waveguide Laser;
Aust, J.A.; Malone, K.J.; Veasey, D.L.; Sanford, N.A.
Opt. Lett. 19(22): 1849-1851; Nov 15, 94

Waveguide Polarizers Processed by Localized Plasma Etching;
Veasey, D.L.; Larson, D.R.; Veigl, I.
Appl. Opt. 33(7): 1242-1244; Mar 1, 94

Integrated Optic Laser Emitting at 905 1057 and 1356 nm;
Malone, K.J.; Sanford, N.A.; Hayden, J.S.; Sapak, D.L.
Proc., Topical Mtg. on Advanced Solid-State Lasers, Opt. Soc. Am., Feb 1-3, 1993, New Orleans, LA, 1-3, Post-Deadline; Aug 93

Integrated Optic Laser Emitting at 906 1057 and 1358 nm;
Malone, K.J.; Sanford, N.A.; Hayden, J.S.
Electron. Lett. 29(8): 691-693; Apr 15, 93

Linewidth Narrowing in an Imbalanced Y-Branch Waveguide Laser;
Sanford, N.A.; Aust, J.A.; Malone, K.J.; Larson, D.R.
Opt. Lett. 18(4): 281-283; Feb 15, 93

Pump-Induced Dispersion of Erbium-Doped Fiber Measured by Fourier-Transform Spectroscopy;
Hickernell, R.K.; Yamada, M.; Shimizu, M.; Horiguchi, M.
Opt. Lett. 18(1): 19-21; Jan 1, 93

Multiwavelength Birefringent-Cavity Mode-Locked Fiber Laser;
Takara, H.; Kawanishi, S.; Saruwatari, M.; Schlager, J.B.
Tech. Dig., Conf. on Lasers and Electro-Optics (CLEO'92), May 10-15, 1992, Anaheim, CA, 250-251; 92

Rare-Earth Doped Waveguide Lasers: The Potential for Compact Blue-Green Lasers;
Sanford, N.A.; Aust, J.A.; Malone, K.J.
Proc., 1992 Topical Mtg. on Compact Blue-Green Lasers, Opt. Soc. Am., Feb 20-21, 1992, Santa Fe, NM, 6:ThB4-1 to ThB4-4; 92

Rare-Earth-Doped Waveguide Devices;
Sanford, N.A.; Malone, K.J.; Aust, J.A.; Larson, D.R.
Tech. Dig., Opt. Soc. Am. Annual Mtg. 1992, Washington, DC, Vol. 23, paper TuJ1; 92

Multi-Wavelength Birefringent-Cavity Mode-Locked Fibre Laser;
Takara, H.; Kawanishi, S.; Saruwatari, M.; Schlager, J.B.
Electron. Lett. 28(25): 2274-2275; Dec 3, 92

Localized Plasma Etching for Device Optimization;
Larson, D.R.; Veasey, D.L.
J. Vacuum Sci. Tech. 10(1): 27-29; Dec 92

Nd:$LiTaO_3$ Waveguide Laser;
Sanford, N.A.; Aust, J.A.; Malone, K.J.; Larson, D.R.; Roshko, A.
Opt. Lett. 17(22): 1578-1580; Nov 15, 92

Direct Dispersion Measurement of Highly Erbium-Doped Optical Amplifiers Using a Low Coherence Reflectometer Coupled with Dispersive Fourier Spectroscopy;
Takada, K.; Kitagawa, K.; Hattori, K.; Yamada, M.; Horiguchi, M.; Hickernell, R.K.
Electron. Lett. 28(20): 1889-1891; Sep 24, 92

Chromatic Dispersion Measurement of Erbium-Doped Fiber Amplifier Using Fourier Transform Spectroscopy;
Hickernell, R.K.; Takada, K.; Yamada, M.; Shimizu, M.; Horiguchi, M.
Tech. Dig., Optical Fiber Meas. Symp., in NIST SP 839, 201-204; Sep 92

Metrology Applications of Mode-Locked Erbium Fiber Lasers;
Schlager, J.B.; Hale, P.D.; Franzen, D.L.
Proc., Conf. on Prec. Electromagn. Meas. '92, 261; Jun 92

Extended-Cavity Operation of Glass Integrated-Optic Lasers: Mode-Locking Q-Switching and Wavelength Tuning;
Sanford, N.A.; Malone, K.J.; Larson, D.R.
Proc., Integrated Photonics Research Conf., Apr 9-11, 1991, Monterey, CA, Paper ThE3; 91

Integrated-Optic Waveguide Glass Lasers;
Sanford, N.A.; Malone, K.J.; Larson, D.R.
Proc., 1991 Optical Fiber Communications Conf., Feb 18-22, 1991, San Diego, CA, 27; 91

Issues Affecting the Characterization of Integrated Optical Devices Subjected to Ionizing Radiation;
Hickernell, R.K.; Sanford, N.A.; Christensen, D.H.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 1474, 138-147; 91

Y-Branch Waveguide Glass Laser and Amplifier;
Sanford, N.A.; Malone, K.J.; Larson, D.R.; Hickernell, R.K.
Opt. Lett. 16(15): 1168-1170; Aug 1, 91

Extended Variety Operation of Rare-Earth Doped Glass Waveguide Lasers;
Sanford, N.A.; Malone, K.J.; Larson, D.R.; Hickernell, R.K.
Opt. Lett. 16(14): 1095-1097; Jul 15, 91

Waveguide Polarizers Using Hydrogenated Amorphous Silicon Claddings;
Veasey, D.L.; Hickernell, R.K.; Larson, D.R.; Batchman, T.E.
Opt. Lett. 16: 717-719; May 91

Integrated-Optic Laser Fabricated by Field-Assisted Ion-Exchange in Neodymium Doped Soda-Lime-Silicate Glass;
Sanford, N.A.; Malone, K.J.; Larson, D.R.
Proc., 1990 Integrated Photonics Research Conf., Opt. Soc. Am., Mar 26-28, 1990, Hilton Head, SC, Vol. 5, 114; 90

Photorefractive Instabilities in Proton-Exchanged Waveguides: Two-Wave Coupling and Chaos;

Sanford, N.A.; Hickernell, R.K.; Craig, R.M.

Proc., 1990 Integrated Photonics Research Conf., Opt. Soc. Am., Mar 26-28, 1990, Hilton Head, SC, Vol. 5, 91-92; 90

Spatially Resolved Measurement of High Attenuation in Integrated Optic Polarizers;

Hickernell, R.K.; Veasey, D.L.; Aust, J.A.

Tech. Dig., 1990 Optical Fiber Meas. Symp., in NIST SP 792, 63-66; Sep 90

Integrated-Optic Laser Fabricated by Field-Assisted Ion Exchange in Neodymium Doped Soda-Lime-Silicate Glass;

Sanford, N.A.; Malone, K.J.; Larson, D.R.

Opt. Lett. 15(7): 366-368; Apr 90

Optical Waveguide Attenuation Measured by Photothermal Displacement;

Hickernell, R.K.; Aust, J.A.; Larson, D.R.

Conf. Dig., 6th Intl. Topical Mtg. on Photoacoustic and Photothermal Phenomena, 310-311; Jul 89

A Measurement Method for Determining the Optical and Electro-Optical Properties of a Thin Film;

Larson, D.L.

NBSIR 81-1652; Dec 81

Linear and Nonlinear Optical Properties of Trigonal Selenium;

Day, G.W.

Appl. Phys. Lett. 18: 347-349; Apr 71

Some Optical Properties of Cesium Cupric Chloride;

Day, G.W.; Gruzensky, P.M.

Appl. Opt. 9: 2494-2795; 70

SEMICONDUCTOR MATERIALS AND DEVICES

Cross-Sectional Photoluminescence and its Application to Buried-Layer Semiconductor Structures;
Schaafsma, D.T.; Christensen, D.H.
J. Appl. Phys. 78(2): 694-699; Jul 15, 95

Correlation of Optical, X-Ray, and Electron Microscopy Measurements on Semiconductor Multilayer Structures;
Christensen, D.H.; Hickernell, R.K.; Schaafsman, D.T.; Pellegrino, J.G.; McCollum, M.J.; Hill, J.R.; Rai, R.S.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol 2141: 177-188; 94

Measurement and Simulation of Photoluminescence Spectra from Vertical-Cavity Quantum-Well Laser Structures;
Schaafsma, D.T.; Hickernell, R.K.; Christensen, D.H.
Proc., Soc. Photo-Opt. Instrum. Engrs., 2139: 92-102; 94

Comparative Photoluminescence Measurement and Simulation of Vertical-Cavity Semiconductor Laser Structures;
Schaafsma, D.T.; Christensen, D.H.; Hickernell, R.K.; Pellegrino, J.G.
Proc., Mater. Res. Soc. Symp. on Semiconductor Heterostructures, Nov 29-Dec 2, 1993, Boston, MA, Vol. 326, 483-488; Jun 94

Determination of the Complex Refractive Index of Individual Quantum Wells from Distributed Reflectance;
Hickernell, R.K.; Christensen, D.H.; Pellegrino, J.G.; Wang, J.; Leburton, J.P.
J. Appl. Physics 75(6): 3056-3059; Mar 15, 94

Vertical-Cavity Semiconductor Lasers: Structural Characterization CAD and DFB Structures;
Christensen, D.H.; Parsons, C.A.; Pellegrino, J.G.; Hill, J.R.; Rai, R.S.; Crochiere S.M.; Hickernell, R.K.; Schaafsma, D.T.
Proc., Soc. Photo-Opt. Instrum. Engrs., Vol. 1850: 115-121; 93

Vertical-Cavity Semiconductor Structures: Materials Characterization;
Christensen, D.H.; Hill, J.R.; Schaafsma, D.T.; Hickernell, R.K.; Pellegrino, J.G.; Tseng, W.F.
Tech. Dig., Conf. on Lasers and Electro-Optics (CLEO '95), Vol. 11, May 2-7, 1993, Baltimore, MD, 234-235; 93

Vertical-Cavity Optoelectronic Structures: CAD Growth and Structural Characterization;
Christensen, D.H.; Crochiere, S.M.; Pellegrino, J.G.; Rai, R.S.; Parsons, C.A.; Tseng, W.F.; Hickernell, R.K.
Proc., Mater. Res. Soc. Symp. on Semiconductor Heterostructures for Photonic and Electronic Applications, Nov 30-Dec 4, 1992, Boston, MA, Vol. 281: 307-312; 93

Characterization of Vertical-Cavity Semiconductor Structures;
Christensen, D.H.; Crochiere, S.M.; Parsons, C.A.; Pellegrino, J.G.; Hickernell, R.K.; Rai, R.S.
J. Appl. Phys. 72(12): 5982-5989; Dec 15, 92

Semiconductor Claddings on Glass Channel Waveguides for Polarizers and Detectors;
Veasey, D.L.; Larson, D.R.; Phelan, R.J., Jr.; Batchman, T.E.
Proc., Opt. Soc. Am. Annual Mtg., Nov 4-9, 1990, Boston, MA, MA5; 90

In-Situ Optimization of Coupling between Semiconductor Claddings and Dielectric Waveguides;
Veasey, D.L.; Larson, D.R.; Batchman, T.E.
J. Appl. Phys. 68(7): 3753-3755; Oct 1, 90

InSb-GaAsP Infrared to Visible Light Converter;
Phelan, R.J., Jr.
Proc., IEEE, Vol. 55: 1505-1502; Aug 67

InSb MOS Infrared Detector;
Phelan, R.J., Jr.; Dimmock, J.O.
Appl. Phys. Lett. 10: 55-57; Jan 67

Incoherent Source Optical Pumping of Visible and Infrared Semiconductor Lasers;
Phelan, R.J., Jr.
Proc., IEEE, Vol. 54: 1119-1120; Aug 66

Laser Emission by Optical Pumping of Semiconductors;
Phelan, R.J., Jr.
Proc., Quantum Electronics Conf., 435-441; Jul 65

AUTHOR INDEX

Alpert, B.K. 21
Alvarez, R. 32
Anderson, M.H. 9
Andrews, J.R. 39
Aust, J.A. 52, 53, 55

Baines, J. 29
Batchman, T.E. 54, 57
Beahn, T.J. 43
Beers, Y. 16
Bennett, H.E. 9-12
Bloom, L.R. 36, 39
Boisrobert, C.Y. 26
Bollinger, J.J. 50
Brasunas, J.C. 28
Brilliant, N.A. 21

Case, W.E. 9, 12, 14, 15, 17, 18
Cernosek, R.W. 48
Chamberlain, G.E. 15, 34, 35, 37, 39
Chandler, G.I. 48
Chase, L.L. 9
Cherin, A.H. 29
Christensen, D.H. 26, 54, 56, 57
Churoux, P. 12
Clark, N.A. 20, 22, 26
Clarke, I. 41
Collins, G.J. 16
Conrad, D. 48
Cook, A.R. 16, 18, 19
Cooper, J. 9
Craig, R.M. 9, 10, 42, 55
Crochiere, S.M. 56, 57

Danielson, B.L. 15, 16, 18, 19, 22, 26, 29-31, 33, 35-38, 40
Das, U.K. 25
Day, G.W. 14-19, 21-24, 27, 30, 31, 33-48, 54, 55
Deeter, M.N. 41-48, 54
Dimmock, J.O. 57
Drapela, T.J. 21, 25, 29, 30, 50

Author Index

Engelsrath, A. 31, 34
Esman, R.D. 8
Etzel, S.M. 13, 45, 48
Evenson, K.M. 18, 19

Flowers, G.E. 49
Forman, P.R. 41, 42
Fox, R.W. 50
Franzen, D.L. 8, 13, 14, 16-40, 50, 54
Fratello, V.J. 43, 44
Frederick, N.V. 13

Gallawa, R.L. 8, 10-13, 20-28, 31, 32, 34-37, 39
Gardner, J.L. 8, 24, 27
Geist, J. 18
Ghatak, A.K. 22-28
Gifford, A.D. 7, 8
Gilbert, S.L. 49, 50
Glaser, I. 33
Goldgraben, R. 32
Goyal, I.C. 22-28
Gray, E.M. 36, 39
Grievenkamp, J.E. 28
Gruzensky, P.M. 16, 17, 55
Guenther, A.H. 9-12
Gyorgy, E.M. 44

Hackert, M. 29
Haggerty, J. 28
Hale, P.D. 7, 8, 22-25, 28, 47, 48, 54
Halford, D. 19
Hamilton, C.A. 16-18
Hanson, A.G. 36, 39
Hattori, K. 53
Hayden, J.S. 52
Head, E.D. 29
Heinzen, D.J. 50
Hickernell, R.K. 10, 21, 42, 53-57
Hill, J.R. 56
Hjelme D.R. 10
Hollberg, L. 50
Horiguchi, M. 53
Humphreys, D.A. 7, 8

Itano, W.M. 50
Iwashita, I. 8

Januar I.P 10
Jennings, D.A. 19
Jinno, M. 20, 21
Johnson, E.G., Jr. 11-15, 32-34
Johnson, W.L. 16
Jones, R.D. 7-9
Juneau, R.I. 28

Kanada, T. 31, 32
Katzir, Y. 33
Kawanishi, S. 50, 53
Kim, E.M. 31, 34-38
Kitagawa, K. 53
Klein, G.P. 18
Komitov, L. 22
Kumar, A. 20-23

Larson, D.R. 8-14, 34, 52-55, 57
Larson, L.E. 10
Leburton, J.P. 56
Lee, K.S. 47
Lehman, J. 8, 11
Li, X. 7, 8, 10, 11, 20, 27
Licht S.J. 44
Lidgard, A. 49
Lieberman, R.A. 44
Livigni, D.J. 7, 8
Lovely, P.S. 42

Mahler, R.J. 18, 19
Maisonneuve, J.M. 12, 13
Malone, K.J. 52-55
Mamileti, L. 25
Manheimer, M. 43
Marquardt, J.H. 50
McFadden, J.D.O. 48
McNeil, J.R. 16
Mechels, S. 23-26
Mickelson A.R. 10
Milam, D. 10-12

Author Index

Milian Bon, S. 42
Miller, C.A. 42, 43
Milner, T.E. 45, 48
Mullen, L.O. 17, 19

Nettleton, D.H. 8, 24, 27
Newnam, B.E. 9-12
Novak, S.W. 52

Oates, C.W. 29, 30
Obarski, G.E. 9, 25, 51

Pal, B.P. 25, 26
Papatheofanis, B. 47
Parsons, C.A. 56, 57
Patrick, H. 49, 50
Patterson, R.L. 45, 46
Pellegrino, J.G. 56, 57
Persson, K.B. 16
Petersen, F.R. 18, 19
Peterson, R.L. 17, 18
Phelan, R.J., Jr. 8-14, 16-19, 31, 34, 57
Pyatt, K.W. 16

Rai, R.S. 56, 57
Raine, K. 29
Rappaport, A.G. 20, 22
Rasmussen, A.L. 9, 11, 12, 14, 15, 18, 19
Ren, Z.B. 41
Robinson, H.G. 50
Rochford, K.B. 41-43
Rodhe, P.M. 33, 34
Rodriguez, P. 41
Ros, M.B. 20, 26
Rose, A.H. 41-47, 54
Roshko, A. 53
Roy, S. 24
Russell, T.W. 18

Samuelson, S. 45
Sanders, A.A. 9, 11-17, 34
Sanford, N.A. 52-55
Sapak, D.L. 52

Saruwatari, M. 50, 53
Schaafsma, D.T. 56
Schlager, J.B. 20-22, 27, 28, 50, 53, 54
Schmidt, L.B. 16, 18
Scott, T.R. 7-11
Shao, Y. 11, 31, 32
Shimizu, M. 53
Simmons, W.R. 19
Simpson, P.A. 9, 10, 12-15
Smith, R.J. 29
Smith, R.L. 17, 18
Smith, S.J. 9
Soileau, M.J. 9
Srivastava, R. 33, 34
Steele, J. M. 23
Stock, K.D. 8, 24, 27
Stubenrauch, C.F. 15

Takada, K. 53
Takara, H. 53
Tang, D. 42, 45-47, 54
Tewari, R. 25
Thomas, B.N. 20, 22
Tseng, W.F. 56, 57
Tu, Y. 27, 28

Vayshenker, I. 7, 10
Veasey, D.L. 52-55, 57
Vecchia, D.F. 21, 22, 25
Veeser, L.R. 41, 46-48
Veigl, I. 52
Vohra, R.T. 26

Walba, D.M. 20, 22, 26
Wand, M.D. 26
Wang, C.-M. 21, 22, 25
Wang, J. 56
Ward, T.H. 27
Weimer, C. 32
Weisshaar, A. 20-22
Wells, J.S. 18, 19
Weppner, M.B. 30, 31
Werner, P.E. 14

Author Index

West, E.D. 17-19
Whitesel, H.K. 42, 43, 47
Whittenberg, C.D. 29, 30
Wieman, C.E. 49, 50
Williams, P.A. 20, 22, 26, 41, 43-45
Wineland, D.J. 50
Wittman, R.C. 23
Wolfe, R. 43, 44

Yamabayashi, Y. 27, 28, 31
Yamada, M. 53
Yang, S. 7, 10, 24, 32
Young, M. 14, 15, 20-39

Zavada, J.M. 52